

# FUMEX

## Prijslijst - ME 50




van andel techniek bv

### Conditie

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 36,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponneerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnummer van andel techniek bv: 230 70806



**Local extractor ME Ø50 & Ø75, 3 joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting  
 - Standard; Aluminium tubes, joints in Polypropylene  
 - PP; Tubes and joints in Polypropylene  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD

**Art. No.**

Extractor for table mounting

<b>MEB 1000-50</b>	Ø50 mm
<b>MEB 1300-50</b>	Ø50 mm
<b>MEB 1500-50</b>	Ø50 mm

Extractor for ceiling- or wall mounting, excluding bracket

<b>MET 1000-50</b>	Ø50 mm
<b>MET 1300-50</b>	Ø50 mm
<b>MET 1500-50</b>	Ø50 mm

**Standard**



PP



ESD



ATEX

**230**

**273**

**336**

**265**

**319**

**390**

**230**


**273**

**336**

**265**

**319**

**390**



**Local extractor ME Ø50, 2 joints**

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting  
 - Standard; Aluminium tubes, joints in Polypropylene  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1

**Art. No.**

Extractor for table mounting

<b>MEB 650-50</b>	Ø50 mm
<b>MEB 750-50</b>	Ø50 mm

Extractor for ceiling- or wall mounting, excluding bracket

<b>MET 650-50</b>	Ø50 mm
<b>MET 750-50</b>	Ø50 mm

**Standard**



ESD

**187**

**194**

**187**


**194**

**215**

**221**

**215**

**221**



**Local extractor ME Ø50, 1 joint**

Local extractor ME, with 1 joint, available in ESD;  
 Electrostatic Discharge, certified EN 100015-1, for table mounting.

**Art. No.**

<b>MEBC 700-50ES</b>	Ø50 mm
----------------------	--------

Flexible table bracket

<b>MBFCES</b>	Ø50 mm
---------------	--------



ESD

**316**

**85**

**Brackets for local extractor ME Ø50 & Ø75**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD



**Outside epoxy painting**      **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
<b>MTI 250</b>	L = 250 mm	<b>138</b>	<b>157</b>	177	174	194
<b>MTI 500</b>	L = 500 mm	<b>180</b>	<b>204</b>	228	225	248
<b>MTI 750</b>	L = 750 mm	<b>220</b>	<b>252</b>	282	269	292
<b>MTI 1000</b>	L = 1000 mm	<b>260</b>	<b>296</b>	333	316	339
<b>MTI 1250</b>	L = 1250 mm	<b>296</b>	<b>333</b>	373	363	397
<b>MTI 1500</b>	L = 1500 mm	<b>319</b>	<b>360</b>	404	407	
<b>MTI 1750</b>	L = 1750 mm	<b>346</b>	<b>387</b>	441	451	
<b>MTI 2000</b>	L = 2000 mm	<b>376</b>	<b>420</b>	481	498	

Other lengths available upon request


Ceiling bracket, telescopic, for Ø50/75 mm						
<b>MTF 1000</b>	L = 1000 mm	<b>260</b>	<b>296</b>	333		

Wall bracket, for Ø50/75 mm						
<b>MVK</b>		<b>94</b>	<b>110</b>	113	137	


Flexible table bracket						
<b>MBF</b>		<b>75</b>	<b>89</b>	89		

Escutcheon plate for ceiling brackets MTI & MTF made of PP						
<b>MTI CT</b>		<b>28</b>	<b>36</b>	36		


Cap for MTI profile, including screws						
<b>MTI TP</b>		<b>25</b>	<b>32</b>	32		



MTI




MTF



MVK

















MBF



MTI CT

**Accessories for local extractor ME Ø50 & Ø75**

						
				PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME				
		- Standard; hood tubes in anodised aluminium				
		- PP; hood tubes and hoods in Polypropylene				
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1				
		- EX; Complies with the ATEX requirements EX II 2 GD				
	MEFS	<b>Art. No.</b>	<b>Standard</b>			
		Suction nozzle				
		<b>MES 300-50</b>	Ø50 mm	<b>45</b>	<b>49</b>	
		Flexible suction nozzle L= 600 mm (ESD)				
		<b>MEFS 600-50ES</b>	Ø50 mm		<b>174</b>	
	MEPH	Flat screen hood 300 x 200 mm				
		<b>MPH 300</b>	excl. hood tube	<b>81</b>	<b>94</b>	<b>123</b>
		<b>MEPH 300-50</b>	Ø50 mm	<b>118</b>	<b>165</b>	<b>123</b>
	MEM	Metal hood Ø250 mm				
		<b>MM 250</b>	excl. hood tube	<b>48</b>	<b>52</b>	<b>66</b>
		<b>MEM 250-50</b>	Ø50 mm	<b>85</b>	<b>93</b>	
	MEMB	Metal hood Ø250 mm with working light (LED)				
		<b>MEMB 250-50</b>	Ø50 mm	<b>412</b>		
	MEK	Dome hood Ø350 mm				
		<b>MK 350</b>	excl. hood tube	<b>88</b>	<b>71</b>	<b>144</b>
		<b>MEK 350-50</b>	Ø50 mm	<b>125</b>	<b>185</b>	<b>144</b>
	MEK	Polypropylene doom hood and aluminium hood tube				
		<b>MEK 350-50P/A</b>	Ø50 mm	<b>108</b>		
	MESH	Square hood 360 x 310 mm				
		<b>MSH 350</b>	excl. hood tube	<b>91</b>		
		<b>MESH 350-50</b>	Ø50 mm	<b>128</b>		
	MEHR	Hood tube				
		<b>MEHR-50</b>	Ø50 mm	<b>38</b>	<b>42</b>	
	MRM	Reducers in PP				
		<b>MRM 100-50</b>		<b>38</b>	<b>49</b>	<b>49</b>
	MSG	Protection grill, to be mounted in joint				
		<b>MESG-50</b>		<b>46</b>	<b>46</b>	<b>46</b>