



FUMEX**Prijsslijst - ME 50 - 75 - 100****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief


Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponeerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnr van andel techniek bv: 230 70806



MEB



MET + MVK




MET + MTI

Local extractor ME Ø50, 3 joints


Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD


Art. No.		Standard	 PP	 ESD	 ATEX
Extractor for table mounting					
MEB 1000-50	Ø50 mm	237		273	
MEB 1300-50	Ø50 mm	282		329	
MEB 1500-50	Ø50 mm	346		402	
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-50	Ø50 mm	237		273	
MET 1300-50	Ø50 mm	282		329	
MET 1500-50	Ø50 mm	346		402	



MEB



MET + MVK




MET + MTI

Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1

Art. No.		Standard	 ESD
Extractor for table mounting			
MEB 650-50	Ø50 mm	193	221
MEB 750-50	Ø50 mm	200	228
Extractor for ceiling- or wall mounting, excluding bracket			
MET 650-50	Ø50 mm	193	221
MET 750-50	Ø50 mm	200	228



MEB




MBFCES

Local extractor ME Ø50, 1 joint


Local extractor ME, with 1 joint, available in ESD;
Electrostatic Discharge, certified EN 100015-1, for table mounting.

Art. No.		 ESD
MEBC 700-50ES	Ø50 mm	325
Flexible table bracket		
MBFCES	Ø50 mm	88

Brackets for local extractor ME Ø50						
Brackets for local extractor,						
- Standard; anodised aluminium						
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1						
- EX; Complies with the ATEX requirements EX II 2 GD						
						
Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	142	162	183	180	200
MTI 500	L = 500 mm	186	211	235	232	256
MTI 750	L = 750 mm	227	260	291	277	301
MTI 1000	L = 1000 mm	268	305	343	325	349
MTI 1250	L = 1250 mm	305	343	385	375	409
MTI 1500	L = 1500 mm	329	371	416	419	
MTI 1750	L = 1750 mm	357	399	454	465	
MTI 2000	L = 2000 mm	387	433	496	513	
Other lengths available upon request						
Ceiling bracket, telescopic, for Ø50/75 mm						
MTF 1000	L = 1000 mm	268	305	343		
Wall bracket, for Ø50/75 mm						
MVK		97	113	117	141	
Flexible table bracket						
MBF		77	92	92		
Escutcheon plate for ceiling brackets MTI & MTF made of PP						
MCT		29	37	37		
Cap for MTI profile, including screws						
MTI TP		26	33	33		



MTI



MTF




MVK




MBF



MTI CT

		Accessories for local extractor ME Ø50					
		Nozzles, hoods and reducers for local extractor ME					
		- Standard; hood tubes in anodised aluminium					
		- PP; hood tubes and hoods in Polypropylene					
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1					
		- EX; Complies with the ATEX requirements EX II 2 GD					
		  					
		Art. No.		Standard			
		Suction nozzle					
	MES	MES 300-50	Ø50 mm	46		50	
	MEFS	Flexible suction nozzle L= 600 mm (ESD)					
		MEFS 600-50ES	Ø50 mm			180	
	MEPH	Flat screen hood 300 x 200 mm					
		MPH 300	excl. hood tube	83	97	127	127
		MEPH 300-50	Ø50 mm	122		170	
	MEM	Metal hood Ø250 mm					
		MM 250	excl. hood tube	49		54	68
		MEM 250-50	Ø50 mm	88		97	
	MEMB	Metal hood Ø250 mm with working light (LED)					
		MEMB 250-50	Ø50 mm	425			
	MEK	Dome hood Ø350 mm					
		MK 350	excl. hood tube	91	74	148	148
		MEK 350-50	Ø50 mm	129		191	
		Polypropylene doom hood and aluminium hood tube					
		MEK 350-50P/A	Ø50 mm	112			
	MESH	Square hood 360 x 310 mm					
		MSH 350	excl. hood tube	94			
		MESH 350-50	Ø50 mm	132			
		Hood tube					
	MEHR	MEHR-50	Ø50 mm	39		44	
		Reducers in PP					
	MRM	MRM 100-50		39		50	50
	MESG	Protection grill, to be mounted in joint					
		MESG-50		47		47	47





Local extractor ME Ø75, 3 joints


- Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting
- Standard; Aluminium tubes, joints in Polypropylene
 - PP; Tubes and joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-75	Ø75 mm	343	367	419	419
MEB 1300-75	Ø75 mm	380	408	465	465
MEB 1500-75	Ø75 mm	408	442	499	499
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-75	Ø75 mm	343	367	419	419
MET 1300-75	Ø75 mm	380	408	465	465
MET 1500-75	Ø75 mm	408	442	499	499
MET 2000-75	Ø75 mm	473			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
METS 1500-75	Ø75 mm	520	555	611	611
METS 2000-75	Ø75 mm	582	582	684	684



Brackets for local extractor ME Ø75						
Brackets for local extractor,						
- Standard; anodised aluminium						
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1						
- EX; Complies with the ATEX requirements EX II 2 GD						
 MTI					Outside epoxy painting	In & outside epoxy painting
Art. No.		Standard	ESD	ATEX		
Ceiling bracket for Ø50/75 mm						
MTI 250 L = 250 mm		142	162	183	180	200
MTI 500 L = 500 mm		186	211	235	232	256
MTI 750 L = 750 mm		227	260	291	277	301
MTI 1000 L = 1000 mm		268	305	343	325	349
MTI 1250 L = 1250 mm		305	343	385	375	409
MTI 1500 L = 1500 mm		329	371	416	419	
MTI 1750 L = 1750 mm		357	399	454	465	
MTI 2000 L = 2000 mm		387	433	496	513	
Other lengths available upon request						
Ceiling bracket, telescopic, for Ø50/75 mm						
MTF 1000 L = 1000 mm		268	305	343		
Wall bracket, for Ø50/75 mm						
MVK		97	113	117	141	
Flexible table bracket						
MBF		77	92	92		
Escutcheon plate for ceiling brackets MTI & MTF made of PP						
MCT		29	37	37		
Cap for MTI profile, including screws						
MTI TP		26	33	33		

		Accessories for local extractor ME Ø75						
		Nozzles, hoods and reducers for local extractor ME						
		- Standard; hood tubes in anodised aluminium						
		- PP; hood tubes and hoods in Polypropylene						
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1						
		- EX; Complies with the ATEX requirements EX II 2 GD						
		  						
		Art. No.		Standard		PP	ESD	ATEX
	MES	Suction nozzle						
		MES 300-75	Ø75 mm	49	53	61	61	
	MEFS	Flexible suction nozzle L= 600 mm (ESD)						
		MEFS 600-75ES	Ø75 mm			214		
	MEPH	Flat screen hood 300 x 200 mm						
		MPH 300	excl. hood tube	83	97	127	127	
		MEPH 300-75	Ø75 mm	122	139	177	177	
	MEM	Metal hood Ø250 mm						
		MM 250	excl. hood tube	49		54	68	
		MEM 250-75	Ø75 mm	88	91	103	117	
	MEMB	Metal hood Ø250 mm with working light (LED)						
		MEMB 250-75	Ø75 mm	425				
	MEK	Dome hood Ø350 mm						
		MK 350	excl. hood tube	91	74	148	148	
		MEK 350-75	Ø75 mm	129	115	197	197	
		Polypropylene doom hood and aluminium hood tube						
		MEK 350-75P/A	Ø75 mm	112				
	MESH	Square hood 360 x 310 mm						
		MSH 350	excl. hood tube	94				
		MESH 350-75	Ø75 mm	132				
	MEHR	Hood tube						
		MEHR-75	Ø75 mm	39	43	50	50	
	MRM	Reducers in PP						
		MRM 100-75		39		50	50	
	MESG	Protection grill, to be mounted in joint						
		MESG-75		54		54	54	



Local extractor ME Ø100, 3-joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD




Art. No.		Standard	PP	ATEX
Extractor for table mounting				
MEB 1150-100	Ø100 mm	496	531	579
MEB 1350-100	Ø100 mm	538	573	635
MEB 1650-100	Ø100 mm	597	642	705
MEB 1900-100	Ø100 mm	635	680	753
Extractor for ceiling- or wall mounting, excluding bracket				
MET 1150-100	Ø100 mm	496	531	579
MET 1350-100	Ø100 mm	538	573	635
MET 1650-100	Ø100 mm	597	642	705
MET 1900-100	Ø100 mm	635	680	753
MET 2100-100	Ø100 mm	715	767	847
MET 2650-100	Ø100 mm	778	837	924


Brackets for local extractor ME Ø100

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	ATEX	Outside epoxy painting	n & outside epoxy painting
Ceiling bracket for Ø100 mm					
MTI 500-125	L = 500 mm	399	503	441	465
MTI 750-125	L = 750 mm	416	524	461	486
MTI 1000-125	L = 1000 mm	433	545	486	510
MTI 1250-125	L = 1250 mm	458	573	521	555
MTI 1500-125	L = 1500 mm	503	628	586	
MTI 1750-125	L = 1750 mm	531	663	632	
MTI 2000-125	L = 2000 mm	555	691	674	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
MTF 1000-125	L = 1000 mm	433	545		
Wall bracket, for Ø100 mm					
MVK-125		162	190	204	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
MCT-125		37	44		
Cap for MTI-125 profile, including screws					
MTI TP-125		33	40		

 MES	Accessories for local extractor ME Ø100 Hoods for local extractor ME, - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - EX; Complies with the ATEX requirements EX II 2 GD			
 MEPH	Art. No. Suction nozzle MES 300-100	Standard	 PP	 ATEX
 MEM	Flat screen hood 375x250 mm MPH 375 excl. hood tube MEPH 375-100 Ø100 mm	120		
 MEMB	Metal hood Ø250 mm MM 251 excl. hood tube MEM 251-100 Ø100 mm	99 145	124 173	169 222
 MEK	Metal hood Ø250 mm with working light (LED) MEMB 251-100 Ø100 mm	437		
 MESH	Dome hood Ø350 mm alt Ø500 mm MK 351 excl. hood tube MEK 351-100 Ø100 mm MK 500 excl. hood tube MEK 500-100 Ø100 mm	93 139 124 170	75 124 145 194	148 201 183 236
 MEHR	Polypropylene doom hood and aluminium hood tube MEK 351-100P/A Ø100 mm	121		
 MESG	Square hood 570 x 470 mm MSH 500 excl. hood tube MESH 500-100 Ø100 mm	124 170		
 MESG	Hood tube MEHR-100 Ø100 mm	47	50	54
 MESG	Protection grill, to be mounted in Ø100 joint MESG-100	58		58