


FUMEX**Prijslijst - ME 50 - 75 - 100****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnnummer van andel techniek bv: 230 70806




Local extractor ME Ø50, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting
 - Standard; Aluminium tubes, joints in Polypropylene
 - PP; Tubes and joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



| Art. No. | | Standard | PP | ESD | ATEX |
|------------------------------------------------------------|--------|------------|----|------------|------|
| Extractor for table mounting | | | | | |
| MEB 1000-50 | Ø50 mm | 247 | | 284 | |
| MEB 1300-50 | Ø50 mm | 293 | | 342 | |
| MEB 1500-50 | Ø50 mm | 360 | | 418 | |
| Extractor for ceiling- or wall mounting, excluding bracket | | | | | |
| MET 1000-50 | Ø50 mm | 247 | | 284 | |
| MET 1300-50 | Ø50 mm | 293 | | 342 | |
| MET 1500-50 | Ø50 mm | 360 | | 418 | |




Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting
 - Standard; Aluminium tubes, joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



| Art. No. | | Standard | ESD |
|------------------------------------------------------------|--------|------------|------------|
| Extractor for table mounting | | | |
| MEB 650-50 | Ø50 mm | 201 | 230 |
| MEB 750-50 | Ø50 mm | 208 | 237 |
| Extractor for ceiling- or wall mounting, excluding bracket | | | |
| MET 650-50 | Ø50 mm | 201 | 230 |
| MET 750-50 | Ø50 mm | 208 | 237 |





















Local extractor ME Ø50, 1 joint


Local extractor ME, with 1 joint, available in ESD;
 Electrostatic Discharge, certified EN 100015-1, for table mounting.



| Art. No. | | ESD |
|------------------------|--------|------------|
| MEBC 700-50ES | Ø50 mm | 339 |
| Flexible table bracket | | |
| MBFCES | Ø50 mm | 91 |

| | | Brackets for local extractor ME Ø50 | | | | |
|---------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------|------------|------------|------------------------|-----------------------------|
|  MTI | | Brackets for local extractor, | | | | |
| | | - Standard; anodised aluminium | | | | |
|  MTF | | - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 | | | | |
| | | - EX; Complies with the ATEX requirements EX II 2 GD | | | | |
| Art. No. | | Standard | ESD | ATEX | Outside epoxy painting | In & outside epoxy painting |
| Ceiling bracket for Ø50/75 mm | | | | | | |
| MTI 250 | L = 250 mm | 147 | 169 | 190 | 187 | 208 |
| MTI 500 | L = 500 mm | 193 | 219 | 245 | 241 | 266 |
| MTI 750 | L = 750 mm | 236 | 270 | 303 | 288 | 314 |
| MTI 1000 | L = 1000 mm | 279 | 317 | 357 | 339 | 363 |
| MTI 1250 | L = 1250 mm | 318 | 357 | 400 | 390 | 426 |
| MTI 1500 | L = 1500 mm | 342 | 386 | 433 | 436 | |
| MTI 1750 | L = 1750 mm | 371 | 414 | 472 | 483 | |
| MTI 2000 | L = 2000 mm | 403 | 450 | 516 | 534 | |
| Other lengths available upon request | | | | | | |
|  MBF | | Ceiling bracket, telescopic, for Ø50/75 mm | | | | |
| MTF 1000 | L = 1000 mm | 279 | 317 | 357 | | |
|  MVK | | Wall bracket, for Ø50/75 mm | | | | |
| MVK | | 101 | 118 | 121 | 147 | |
| Flexible table bracket | | | | | | |
| MBF | | 80 | 96 | 96 | | |
| Escutcheon plate for ceiling brackets MTI & MTF made of PP | | | | | | |
| MCT | | 30 | 39 | 39 | | |
| Cap for MTI profile, including screws | | | | | | |
| MTI TP | | 27 | 34 | 34 | | |

| | | Accessories for local extractor ME Ø50 | | | | |
|-------------------------------------------------------------------------------------|------|----------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| | | Nozzles, hoods and reducers for local extractor ME | | | | |
| | | - Standard; hood tubes in anodised aluminium | | | | |
| | | - PP; hood tubes and hoods in Polypropylene | | | | |
| | | - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 | | | | |
| | | - EX; Complies with the ATEX requirements EX II 2 GD | | | | |
| | | | |  |  |  |
| | | Art. No. | | Standard | | |
|  | MES | Suction nozzle | | | | |
| | | MES 300-50 | Ø50 mm | 48 | | |
|  | MEFS | Flexible suction nozzle L= 600 mm (ESD) | | | | |
| | | MEFS 600-50ES | Ø50 mm | | 187 | |
|  | MEPH | Flat screen hood 300 x 200 mm | | | | |
| | | MPH 300 | excl. hood tube | 87 | 101 | 132 |
| | | MEPH 300-50 | Ø50 mm | 127 | 177 | |
|  | MEM | Metal hood Ø250 mm | | | | |
| | | MM 250 | excl. hood tube | 51 | 57 | 71 |
| | | MEM 250-50 | Ø50 mm | 92 | 101 | |
|  | MEMB | Metal hood Ø250 mm with working light (LED) | | | | |
| | | MEMB 250-50 | Ø50 mm | 442 | | |
|  | MEK | Dome hood Ø350 mm | | | | |
| | | MK 350 | excl. hood tube | 94 | 77 | 154 |
| | | MEK 350-50 | Ø50 mm | 135 | 198 | |
|  | MEK | Polypropylene doom hood and aluminium hood tube | | | | |
| | | MEK 350-50P/A | Ø50 mm | 117 | | |
|  | MESH | Square hood 360 x 310 mm | | | | |
| | | MSH 350 | excl. hood tube | 98 | | |
| | | MESH 350-50 | Ø50 mm | 138 | | |
|  | MEHR | Hood tube | | | | |
| | | MEHR-50 | Ø50 mm | 41 | 45 | |
|  | MRM | Reducers in PP | | | | |
|  | MESG | Protection grill, to be mounted in joint | | | | |
| | | MRM 100-50 | | 41 | 52 | 52 |
| | | MESG-50 | | 49 | 49 | 49 |
























Local extractor ME Ø75, 3 joints


- Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting
- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



| Art. No. | | Standard | PP | ESD | ATEX |
|------------------------------------------------------------|--------|------------|------------|------------|------------|
| Extractor for table mounting | | | | | |
| MEB 1000-75 | Ø75 mm | 357 | 381 | 436 | 436 |
| MEB 1300-75 | Ø75 mm | 396 | 424 | 483 | 483 |
| MEB 1500-75 | Ø75 mm | 424 | 459 | 519 | 519 |
| Extractor for ceiling- or wall mounting, excluding bracket | | | | | |
| MET 1000-75 | Ø75 mm | 357 | 381 | 436 | 436 |
| MET 1300-75 | Ø75 mm | 396 | 424 | 483 | 483 |
| MET 1500-75 | Ø75 mm | 424 | 459 | 519 | 519 |
| MET 2000-75 | Ø75 mm | 492 | | | |
| With external gas spring | | | | | |
| Extractor for ceiling- or wall mounting, excluding bracket | | | | | |
| METS 1500-75 | Ø75 mm | 541 | 577 | 635 | 635 |
| METS 2000-75 | Ø75 mm | 605 | 605 | 711 | 711 |

| | | Brackets for local extractor ME Ø75 | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------|----------------------------------------|
|  MTI  MTF  MVK  MBF  MCT | | Brackets for local extractor, - Standard; anodised aluminium - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 - EX; Complies with the ATEX requirements EX II 2 GD | |  |  | Outside epoxy painting | In & outside epoxy painting |
| | | Art. No. | Standard | ESD | ATEX | | |
| Ceiling bracket for Ø50/75 mm | | | | | | | |
| MTI 250 | L = 250 mm | 147 | 169 | 190 | 187 | 208 | |
| MTI 500 | L = 500 mm | 193 | 219 | 245 | 241 | 266 | |
| MTI 750 | L = 750 mm | 236 | 270 | 303 | 288 | 314 | |
| MTI 1000 | L = 1000 mm | 279 | 317 | 357 | 339 | 363 | |
| MTI 1250 | L = 1250 mm | 318 | 357 | 400 | 390 | 426 | |
| MTI 1500 | L = 1500 mm | 342 | 386 | 433 | 436 | | |
| MTI 1750 | L = 1750 mm | 371 | 414 | 472 | 483 | | |
| MTI 2000 | L = 2000 mm | 403 | 450 | 516 | 534 | | |
| Other lengths available upon request | | | | | | | |
| Ceiling bracket, telescopic, for Ø50/75 mm | | | | | | | |
| MTF 1000 | L = 1000 mm | 279 | 317 | 357 | | | |
| Wall bracket, for Ø50/75 mm | | | | | | | |
| MVK | | 101 | 118 | 121 | 147 | | |
| Flexible table bracket | | | | | | | |
| MBF | | 80 | 96 | 96 | | | |
| Escutcheon plate for ceiling brackets MTI & MTF made of PP | | | | | | | |
| MCT | | 30 | 39 | 39 | | | |
| Cap for MTI profile, including screws | | | | | | | |
| MTI TP | | 27 | 34 | 34 | | | |

| | | Accessories for local extractor ME Ø75 | | | | | |
|-------------------------------------------------------------------------------------|------|----------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------|
| | | Nozzles, hoods and reducers for local extractor ME | | | | | |
| | | - Standard; hood tubes in anodised aluminium | | | | | |
| | | - PP; hood tubes and hoods in Polypropylene | | | | | |
| | | - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 | | | | | |
| | | - EX; Complies with the ATEX requirements EX II 2 GD | | | | | |
| | | | |  |  |  | |
| | | Art. No. | | Standard | PP | ESD | ATEX |
|  | MES | Suction nozzle | | | | | |
| | | MES 300-75 | Ø75 mm | 51 | 55 | 63 | 63 |
|  | MEFS | Flexible suction nozzle L= 600 mm (ESD) | | | | | |
| | | MEFS 600-75ES | Ø75 mm | | | 223 | |
|  | MEPH | Flat screen hood 300 x 200 mm | | | | | |
| | | MPH 300 | excl. hood tube | 87 | 101 | 132 | 132 |
| | | MEPH 300-75 | Ø75 mm | 127 | 145 | 184 | 184 |
|  | MEM | Metal hood Ø250 mm | | | | | |
| | | MM 250 | excl. hood tube | 51 | | 57 | 71 |
| | | MEM 250-75 | Ø75 mm | 92 | 95 | 108 | 122 |
|  | MEMB | Metal hood Ø250 mm with working light (LED) | | | | | |
| | | MEMB 250-75 | Ø75 mm | 442 | | | |
|  | MEK | Dome hood Ø350 mm | | | | | |
| | | MK 350 | excl. hood tube | 94 | 77 | 154 | 154 |
| | | MEK 350-75 | Ø75 mm | 135 | 120 | 205 | 205 |
|  | MEK | Polypropylene doom hood and aluminium hood tube | | | | | |
| | | MEK 350-75P/A | Ø75 mm | 117 | | | |
|  | MESH | Square hood 360 x 310 mm | | | | | |
| | | MSH 350 | excl. hood tube | 98 | | | |
| | | MESH 350-75 | Ø75 mm | 138 | | | |
|  | MEHR | Hood tube | | | | | |
| | | MEHR-75 | Ø75 mm | 41 | 45 | 52 | 52 |
|  | MRM | Reducers in PP | | | | | |
|  | MESG | Protection grill, to be mounted in joint | | | | | |
| | | MRM 100-75 | | 41 | | 52 | 52 |
| | | MESG-75 | | 57 | | 57 | 57 |




Local extractor ME Ø100, 3-joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD



| Art. No. | | Standard | PP | ATEX |
|------------------------------------------------------------|---------|----------|-----|------|
| Extractor for table mounting | | | | |
| MEB 1150-100 | Ø100 mm | 536 | 573 | 626 |
| MEB 1350-100 | Ø100 mm | 581 | 618 | 686 |
| MEB 1650-100 | Ø100 mm | 645 | 693 | 762 |
| MEB 1900-100 | Ø100 mm | 686 | 735 | 814 |
| Extractor for ceiling- or wall mounting, excluding bracket | | | | |
| MET 1150-100 | Ø100 mm | 536 | 573 | 626 |
| MET 1350-100 | Ø100 mm | 581 | 618 | 686 |
| MET 1650-100 | Ø100 mm | 645 | 693 | 762 |
| MET 1900-100 | Ø100 mm | 686 | 735 | 814 |
| MET 2100-100 | Ø100 mm | 772 | 829 | 915 |
| MET 2650-100 | Ø100 mm | 840 | 903 | 998 |














Brackets for local extractor ME Ø100

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

| Art. No. | | Standard | ATEX | Outside epoxy painting | In & outside epoxy painting |
|----------------------------------------------------------------------|-------------|----------|------|------------------------|-----------------------------|
| Ceiling bracket for Ø100 mm | | | | | |
| MTI 500-125 | L = 500 mm | 430 | 543 | 476 | 502 |
| MTI 750-125 | L = 750 mm | 449 | 566 | 498 | 525 |
| MTI 1000-125 | L = 1000 mm | 468 | 588 | 525 | 550 |
| MTI 1250-125 | L = 1250 mm | 495 | 618 | 562 | 600 |
| MTI 1500-125 | L = 1500 mm | 543 | 678 | 633 | |
| MTI 1750-125 | L = 1750 mm | 573 | 716 | 682 | |
| MTI 2000-125 | L = 2000 mm | 600 | 746 | 728 | |
| Other lengths available upon request | | | | | |
| Ceiling bracket, telescopic, for Ø100 mm | | | | | |
| MTF 1000-125 | L = 1000 mm | 468 | 588 | | |
| Wall bracket, for Ø100 mm | | | | | |
| MVK-125 | | 175 | 205 | 221 | |
| Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP | | | | | |
| MCT-125 | | 40 | 47 | | |
| Cap for MTI-125 profile, including screws | | | | | |
| MTI TP-125 | | 36 | 44 | | |

| Accessories for local extractor ME Ø100 | | | | |
|------------------------------------------------------------------------------------------|-------------------------------------------------|------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Hoods for local extractor ME, | | | | |
| - Standard; hood tubes in anodised aluminium | | | | |
| - PP; hood tubes and hoods in Polypropylene | | | | |
| - EX; Complies with the ATEX requirements EX II 2 GD | | |  |  |
| Art. No. | | Standard | PP | ATEX |
|  MES | Suction nozzle | | | |
| | MES 300-100 | 130 | | |
|  MEPH | Flat screen hood 375x250 mm | | | |
| | MPH 375 excl. hood tube | 107 | 134 | 182 |
| | MEPH 375-100 Ø100 mm | 157 | 187 | 240 |
|  MEM | Metal hood Ø250 mm | | | |
| | MM 251 excl. hood tube | 59 | | 77 |
| | MEM 251-100 Ø100 mm | 109 | | 135 |
|  MEMB | Metal hood Ø250 mm with working light (LED) | | | |
| | MEMB 251-100 Ø100 mm | 472 | | |
|  MEK | Dome hood Ø350 mm alt Ø500 mm | | | |
| | MK 351 excl. hood tube | 100 | 81 | 160 |
| | MEK 351-100 Ø100 mm | 150 | 135 | 218 |
| | MK 500 excl. hood tube | 134 | 156 | 198 |
| | MEK 500-100 Ø100 mm | 184 | 210 | 255 |
|  MESH | Polypropylene doom hood and aluminium hood tube | | | |
| | MEK 351-100P/A Ø100 mm | 131 | | |
|  MSH | Square hood 570 x 470 mm | | | |
| | MSH 500 excl. hood tube | 134 | | |
| | MESH 500-100 Ø100 mm | 184 | | |
|  MEHR | Hood tube | | | |
| | MEHR-100 Ø100 mm | 51 | 54 | 59 |
|  MESG | Protection grill, to be mounted in Ø100 joint | | | |
| | MESG-100 | 63 | | 63 |