


FUMEX**Prijzlijst - ME 50****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijffnummer van andel techniek bv: 230 70806




Local extractor ME Ø50, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-50	Ø50 mm	247		284	
MEB 1300-50	Ø50 mm	293		342	
MEB 1500-50	Ø50 mm	360		418	
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-50	Ø50 mm	247		284	
MET 1300-50	Ø50 mm	293		342	
MET 1500-50	Ø50 mm	360		418	




Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



Art. No.		Standard	ESD
Extractor for table mounting			
MEB 650-50	Ø50 mm	201	230
MEB 750-50	Ø50 mm	208	237
Extractor for ceiling- or wall mounting, excluding bracket			
MET 650-50	Ø50 mm	201	230
MET 750-50	Ø50 mm	208	237



Local extractor ME Ø50, 1 joint

Local extractor ME, with 1 joint, available in ESD;
Electrostatic Discharge, certified EN 100015-1, for table mounting.



Art. No.		ESD
MEBC 700-50ES	Ø50 mm	339
Flexible table bracket		
MBFCES	Ø50 mm	91

Brackets for local extractor ME Ø50

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside epoxy painting **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	147	169	190	187	208
MTI 500	L = 500 mm	193	219	245	241	266
MTI 750	L = 750 mm	236	270	303	288	314
MTI 1000	L = 1000 mm	279	317	357	339	363
MTI 1250	L = 1250 mm	318	357	400	390	426
MTI 1500	L = 1500 mm	342	386	433	436	
MTI 1750	L = 1750 mm	371	414	472	483	
MTI 2000	L = 2000 mm	403	450	516	534	

Other lengths available upon request



Ceiling bracket, telescopic, for Ø50/75 mm						
MTF 1000	L = 1000 mm	279	317	357		

Wall bracket, for Ø50/75 mm						
MVK		101	118	121	147	












Flexible table bracket						
MBF		80	96	96		

Escutcheon plate for ceiling brackets MTI & MTF made of PP						
MCT		30	39	39		

Cap for MTI profile, including screws						
MTI TP		27	34	34		



Accessories for local extractor ME Ø50

Art. No.		Standard	PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 - EX; Complies with the ATEX requirements EX II 2 GD			
	MEFS	Suction nozzle MES 300-50 Ø50 mm	48	52	
		Flexible suction nozzle L= 600 mm (ESD) MEFS 600-50ES Ø50 mm		187	
	MEPH	Flat screen hood 300 x 200 mm MPH 300 excl. hood tube	87	101	132
		MEPH 300-50 Ø50 mm	127	177	
	MEM	Metal hood Ø250 mm MM 250 excl. hood tube	51	57	71
		MEM 250-50 Ø50 mm	92	101	
	MEMB	Metal hood Ø250 mm with working light (LED) MEMB 250-50 Ø50 mm	442		
	MK	Dome hood Ø350 mm MK 350 excl. hood tube	94	77	154
		MEK 350-50 Ø50 mm	135	198	154
	MEK	Polypropylene dome hood and aluminium hood tube MEK 350-50P/A Ø50 mm	117		
	MESH	Square hood 360 x 310 mm MSH 350 excl. hood tube	98		
		MESH 350-50 Ø50 mm	138		
	MEHR	Hood tube MEHR-50 Ø50 mm	41	45	
	MRM	Reducers in PP MRM 100-50	41	52	52
	MESG	Protection grill, to be mounted in joint MESG-50	49	49	49