


FUMEX**Prijzlijst - ME 50 - 75 - 100****van andel techniek bv****Condities**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijffnummer van andel techniek bv: 230 70806




Local extractor ME Ø50, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-50	Ø50 mm	257		313	
MEB 1300-50	Ø50 mm	305		376	
MEB 1500-50	Ø50 mm	375		459	
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-50	Ø50 mm	257		313	
MET 1300-50	Ø50 mm	305		376	
MET 1500-50	Ø50 mm	375		459	




Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



Art. No.		Standard	ESD
Extractor for table mounting			
MEB 650-50	Ø50 mm	209	253
MEB 750-50	Ø50 mm	216	261
Extractor for ceiling- or wall mounting, excluding bracket			
MET 650-50	Ø50 mm	209	253
MET 750-50	Ø50 mm	216	261



Local extractor ME Ø50, 1 joint

Local extractor ME, with 1 joint, available in ESD;
Electrostatic Discharge, certified EN 100015-1, for table mounting.



Art. No.		ESD
MEBC 700-50ES	Ø50 mm	372
Flexible table bracket		
MBFCES	Ø50 mm	101

Brackets for local extractor ME Ø50

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD




Outside powder coated painting	In & outside powder coated painting
---	--

Art. No.	Standard	ESD	ATEX	Outside powder coated painting	In & outside powder coated painting
Ceiling bracket for Ø50/75 mm					
MTI 250	L = 250 mm	153	186	210	205
MTI 500	L = 500 mm	201	241	269	265
MTI 750	L = 750 mm	246	297	333	317
MTI 1000	L = 1000 mm	290	349	393	372
MTI 1250	L = 1250 mm	330	393	441	429
MTI 1500	L = 1500 mm	356	424	476	480
MTI 1750	L = 1750 mm	386	456	520	531
MTI 2000	L = 2000 mm	419	495	567	587
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø50/75 mm					
MTF 1000	L = 1000 mm	290	349	393	
Wall bracket, for Ø50/75 mm					
MVK		105	129	134	162
Flexible table bracket					
MBF		84	105	105	
Escutcheon plate for ceiling brackets MTI & MTF made of PP					
MCT		31	42	42	
Cap for MTI profile, including screws					
MTI TP		28	38	38	



MTI



MTF



MVK



MBF



MCT

Accessories for local extractor ME Ø50

Nozzles, hoods and reducers for local extractor ME


- Standard; hood tubes in anodised aluminium
- PP; hood tubes and hoods in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Suction nozzle					
MES 300-50	Ø50 mm	51		58	
Flexible suction nozzle L= 600 mm (ESD)					
MEFS 600-50ES	Ø50 mm			205	
Flat screen hood 300 x 200 mm					
MPH 300	excl. hood tube	90	105	146	146
MEPH 300-50	Ø50 mm	132		195	
Metal hood Ø250 mm					
MM 250	excl. hood tube	54		62	78
MEM 250-50	Ø50 mm	96		111	
Worklight and fan control for extractor ME*					
ME S-50	Push button, ME 50	224			
ME LS-50	Light and push button, ME 50	513			
ST 24	Power supply if only the lights is to be used from ME LS	42			
Dome hood Ø350 mm					
MK 350	excl. hood tube	98	80	169	169
MEK 350-50	Ø50 mm	140		218	
Polypropylene doom hood and aluminium hood tube					
MEK 350-50P/A	Ø50 mm	122			
Square hood 360 x 310 mm					
MESH 350	excl. hood tube	102			
MESH 350-50	Ø50 mm	144			
Hood tube					
MEHR-50	Ø50 mm	43		50	
Reducers in PP					
MRM 100-50		43		58	58
Protection grill, to be mounted in joint					
MESG-50		54		54	54

* Control units to be purchased separately

* N.B! Hood to ME extraction arm to be ordered separately!



Local extractor ME Ø75, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-75	Ø75 mm	371	397	480	480
MEB 1300-75	Ø75 mm	411	441	531	531
MEB 1500-75	Ø75 mm	441	478	571	571
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-75	Ø75 mm	371	397	480	480
MET 1300-75	Ø75 mm	411	441	531	531
MET 1500-75	Ø75 mm	441	478	571	571
MET 2000-75	Ø75 mm	511			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
METS 1500-75	Ø75 mm	563	600	699	699
METS 2000-75	Ø75 mm	629	629	783	783

Brackets for local extractor ME Ø75

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside powder coated painting	In & outside powder coated painting
---	--

Art. No.	Standard	ESD	ATEX	Outside powder coated painting	In & outside powder coated painting
Ceiling bracket for Ø50/75 mm					
MTI 250	L = 250 mm	153	186	210	205
MTI 500	L = 500 mm	201	241	269	265
MTI 750	L = 750 mm	246	297	333	317
MTI 1000	L = 1000 mm	290	349	393	372
MTI 1250	L = 1250 mm	330	393	441	429
MTI 1500	L = 1500 mm	356	424	476	480
MTI 1750	L = 1750 mm	386	456	520	531
MTI 2000	L = 2000 mm	419	495	567	587

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm					
MTF 1000	L = 1000 mm	290	349	393	

Wall bracket, for Ø50/75 mm					
MVK		105	129	134	162


Flexible table bracket					
MBF		84	105	105	

Escutcheon plate for ceiling brackets MTI & MTF made of PP					
MCT		31	42	42	

Cap for MTI profile, including screws					
MTI TP		28	38	38	



MTI



MTF



MVK



MBF



MCT

Accessories for local extractor ME Ø75

Nozzles, hoods and reducers for local extractor ME


- Standard; hood tubes in anodised aluminium
- PP; hood tubes and hoods in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
MES					
MEFS					
MEPH					
MEM					
ME S/LS					
MEK					
MESH					
MEHR					
MRM					
MESG					
MES 300-75	Suction nozzle Ø75 mm	54	57	70	70
MEFS 600-75ES	Flexible suction nozzle L= 600 mm (ESD) Ø75 mm			245	
MPH 300	Flat screen hood 300 x 200 mm excl. hood tube	90	105	146	146
MEPH 300-75	Ø75 mm	132	151	202	202
MM 250	Metal hood Ø250 mm excl. hood tube	54		62	78
MEM 250-75	Ø75 mm	96	99	119	135
ME S-75	Worklight and fan control for extractor ME* Push button, ME 75	224			
ME LS-75	Light and push button, ME 75	513			
ST 24	Power supply if only the lights is to be used from ME LS	42			
MK 350	Dome hood Ø350 mm excl. hood tube	98	80	169	169
MEK 350-75	Ø75 mm	140	125	226	226
MEK 350-75P/A	Polypropylene doom hood and aluminium hood tube Ø75 mm	122			
MSH 350	Square hood 360 x 310 mm excl. hood tube	102			
MESH 350-75	Ø75 mm	144			
MEHR-75	Hood tube Ø75 mm	43	46	58	58
MRM 100-75	Reducers in PP	43		58	58
MESG-75	Protection grill, to be mounted in joint	62		62	62

* Control units to be purchased separately

* N.B! Hood to ME extraction arm to be ordered separately!



Local extractor ME Ø100, 3-joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD




Art. No.		Standard	PP	ATEX
Extractor for table mounting				
MEB 1150-100	Ø100 mm	557	597	689
MEB 1350-100	Ø100 mm	605	643	755
MEB 1650-100	Ø100 mm	670	721	838
MEB 1900-100	Ø100 mm	714	764	895
Extractor for ceiling- or wall mounting, excluding bracket				
MET 1150-100	Ø100 mm	557	597	689
MET 1350-100	Ø100 mm	605	643	755
MET 1650-100	Ø100 mm	670	721	838
MET 1900-100	Ø100 mm	714	764	895
MET 2100-100	Ø100 mm	803	862	1.007
MET 2650-100	Ø100 mm	874	940	1.098

Brackets for local extractor ME Ø100

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	ATEX	Outside powder coated painting	In & outside powder coated painting
Ceiling bracket for Ø100 mm					
MTI 500-125	L = 500 mm	448	597	524	552
MTI 750-125	L = 750 mm	467	622	548	577
MTI 1000-125	L = 1000 mm	487	647	577	606
MTI 1250-125	L = 1250 mm	514	680	619	660
MTI 1500-125	L = 1500 mm	565	746	696	
MTI 1750-125	L = 1750 mm	597	788	751	
MTI 2000-125	L = 2000 mm	624	821	801	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
MTF 1000-125	L = 1000 mm	487	647		
Wall bracket, for Ø100 mm					
MVK-125		182	226	243	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
MCT-125		42	52		
Cap for MTI-125 profile, including screws					
MTI TP-125		37	48		

