




FUMEX**Prijslijst - ME 75****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponeerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnr van andel techniek bv: 230 70806



Local extractor ME Ø75, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-75	Ø75 mm	371	397	480	480
MEB 1300-75	Ø75 mm	411	441	531	531
MEB 1500-75	Ø75 mm	441	478	571	571
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-75	Ø75 mm	371	397	480	480
MET 1300-75	Ø75 mm	411	441	531	531
MET 1500-75	Ø75 mm	441	478	571	571
MET 2000-75	Ø75 mm	511			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
METS 1500-75	Ø75 mm	563	600	699	699
METS 2000-75	Ø75 mm	629	629	783	783

Brackets for local extractor ME Ø75

Brackets for local extractor,

- Standard; anodised aluminium
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Outside powder coated painting	In & outside powder coated painting
--------------------------------------	---

Art. No.		Standard	ESD	ATEX		
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	153	186	210	205	229
MTI 500	L = 500 mm	201	241	269	265	293
MTI 750	L = 750 mm	246	297	333	317	345
MTI 1000	L = 1000 mm	290	349	393	372	400
MTI 1250	L = 1250 mm	330	393	441	429	468
MTI 1500	L = 1500 mm	356	424	476	480	
MTI 1750	L = 1750 mm	386	456	520	531	
MTI 2000	L = 2000 mm	419	495	567	587	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

MTF 1000	L = 1000 mm	290	349	393
-----------------	-------------	------------	------------	-----

Wall bracket, for Ø50/75 mm

MVK	105	129	134	162
------------	------------	------------	-----	-----

Flexible table bracket

MBF	84	105	105
------------	-----------	------------	-----


Escutcheon plate for ceiling brackets MTI & MTF

made of PP


MCT	31	42	42
------------	-----------	-----------	----

Cap for MTI profile, including screws


MTI TP	28	38	38
---------------	-----------	-----------	----



MTI



MTF



MVK



MBF



MCT

Accessories for local extractor ME Ø75					
Nozzles, hoods and reducers for local extractor ME - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 - EX; Complies with the ATEX requirements EX II 2 GD		  			
Art. No.		Standard	PP	ESD	ATEX
Suction nozzle					
MES 300-75	Ø75 mm	54	57	70	70
Flexible suction nozzle L= 600 mm (ESD)					
MEFS 600-75ES	Ø75 mm			245	
Flat screen hood 300 x 200 mm					
MPH 300	excl. hood tube	90	105	146	146
MEPH 300-75	Ø75 mm	132	151	202	202
Metal hood Ø250 mm					
MM 250	excl. hood tube	54		62	78
MEM 250-75	Ø75 mm	96	99	119	135
Worklight and fan control for extractor ME*					
ME S-75	Push button, ME 75	224			
ME LS-75	Light and push button, ME 75	513			
ST 24	Power supply if only the lights is to be used from ME LS	42			
Dome hood Ø350 mm					
MK 350	excl. hood tube	98	80	169	169
MEK 350-75	Ø75 mm	140	125	226	226
Polypropylene doom hood and aluminium hood tube					
MEK 350-75P/A	Ø75 mm	122			
Square hood 360 x 310 mm					
MSH 350	excl. hood tube	102			
MESH 350-75	Ø75 mm	144			
Hood tube					
MEHR-75	Ø75 mm	43	46	58	58
Reducers in PP					
MRM 100-75		43		58	58
Protection grill, to be mounted in joint					
MESG-75		62		62	62

* Control units to be purchased separately

* N.B! Hood to ME extraction arm to be ordered separately!