

FUMEX

Prijzlijst - ME 50-75-100




van andel techniek bv

Conditie

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven.
- Prijzen zijn exclusief montage, tenzij anders aangegeven.
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.).
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen.
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd.
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00.
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend.
- Het minimum vrachttarief bedraagt € 36,00.
- Verpakking inclusief.

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnnummer van andel techniek bv: 230 70806



Local extractor ME Ø50, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting
 - Standard; Aluminium tubes, joints in Polypropylene
 - PP; Tubes and joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD

Art. No.

Standard



PP



ESD




ATEX

Extractor for table mounting

MEB 1000-50	Ø50 mm	212	240
MEB 1300-50	Ø50 mm	252	289
MEB 1500-50	Ø50 mm	310	353

Extractor for ceiling- or wall mounting, excluding bracket

MET 1000-50	Ø50 mm	212	240
MET 1300-50	Ø50 mm	252	289
MET 1500-50	Ø50 mm	310	353



Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting
 - Standard; Aluminium tubes, joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1

Art. No.

Standard




ESD

Extractor for table mounting

MEB 650-50	Ø50 mm	173	194
MEB 750-50	Ø50 mm	179	200

Extractor for ceiling- or wall mounting, excluding bracket

MET 650-50	Ø50 mm	173	194
MET 750-50	Ø50 mm	179	200



Local extractor ME Ø50, 1 joint

Local extractor ME, with 1 joint, available in ESD;
 Electrostatic Discharge, certified EN 100015-1, for table mounting.

Art. No.



ESD

MEBC 700-50ES	Ø50 mm	286
----------------------	--------	------------

Flexible table bracket

MBFCES	Ø50 mm	75
---------------	--------	-----------

Brackets for local extractor ME Ø50 & Ø75

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside epoxy painting **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	127	142	160	157	176
MTI 500	L = 500 mm	166	185	206	203	225
MTI 750	L = 750 mm	203	228	255	243	264
MTI 1000	L = 1000 mm	240	267	301	286	307
MTI 1250	L = 1250 mm	273	301	338	329	359
MTI 1500	L = 1500 mm	295	326	365	368	
MTI 1750	L = 1750 mm	319	350	399	408	
MTI 2000	L = 2000 mm	347	381	436	451	

Other lengths available upon request



Ceiling bracket, telescopic, for Ø50/75 mm						
MTF 1000	L = 1000 mm	240	267	301		

Wall bracket, for Ø50/75 mm						
MVK		87	99	102	124	















Flexible table bracket						
MBF		69	78			

Escutcheon plate for ceiling brackets MTI & MTF made of PP						
MTI CT		26	32	32		


Cap for MTI profile, including screws						
MTI TP		23	29	29		



Accessories for local extractor ME Ø50

								
				Standard	PP	ESD	ATEX	
	MES	Nozzles, hoods and reducers for local extractor ME						
		- Standard; hood tubes in anodised aluminium						
		- PP; hood tubes and hoods in Polypropylene						
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1						
		- EX; Complies with the ATEX requirements EX II 2 GD						
	MEFS	Art. No.						
		Suction nozzle						
		MES 300-50	Ø50 mm	41		44		
		Flexible suction nozzle L= 600 mm (ESD)						
		MEFS 600-50ES	Ø50 mm			157		
	MEPH	Flat screen hood 300 x 200 mm						
		MPH 300	excl. hood tube	75	87	111	111	
		MEPH 300-50	Ø50 mm	108		148		
	MEM	Metal hood Ø250 mm						
		MM 250	excl. hood tube	44		47	59	
		MEM 250-50	Ø50 mm	78		84		
	MEMB	Metal hood Ø250 mm with working light (LED)						
		MEMB 250-50	Ø50 mm	381				
	MK	Dome hood Ø350 mm						
		MK 350	excl. hood tube	81	66	130	130	
		MEK 350-50	Ø50 mm	115		167		
	MEK	Polypropylene dome hood and aluminium hood tube						
		MEK 350-50P/A	Ø50 mm	99				
	MESH	Square hood 360 x 310 mm						
		MSH 350	excl. hood tube	84				
		MESH 350-50	Ø50 mm	118				
	MEHR	Hood tube						
		MEHR-50	Ø50 mm	35		38		
	MRM	Reducers in PP						
	MSG	Reducers in PP						
		MRM 100-50		35		44	44	
		Protection grill, to be mounted in joint						
		MESG-50		41		41	41	

Local extractor ME Ø75, 3 joints



Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting
 - Standard; Aluminium tubes, joints in Polypropylene
 - PP; Tubes and joints in Polypropylene
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD

Art. No.

Standard



PP



ESD



ATEX

Extractor for table mounting

Art. No.	Ø75 mm	Standard	PP	ESD	ATEX
MEB 1000-75	Ø75 mm	307	329	368	368
MEB 1300-75	Ø75 mm	341	365	408	408
MEB 1500-75	Ø75 mm	365	396	439	439

Extractor for ceiling- or wall mounting, excluding bracket

Art. No.	Ø75 mm	Standard	PP	ESD	ATEX
MET 1000-75	Ø75 mm	307	329	368	368
MET 1300-75	Ø75 mm	341	365	408	408
MET 1500-75	Ø75 mm	365	396	439	439
MET 2000-75	Ø75 mm	423			

With external gas spring

Extractor for ceiling- or wall mounting, excluding bracket

Art. No.	Ø75 mm	Standard	PP	ESD	ATEX
METS 1500-75	Ø75 mm	466	497	537	537
METS 2000-75	Ø75 mm	521	521	601	601

Brackets for local extractor ME Ø50 & Ø75

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside epoxy painting **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	127	142	160	157	176
MTI 500	L = 500 mm	166	185	206	203	225
MTI 750	L = 750 mm	203	228	255	243	264
MTI 1000	L = 1000 mm	240	267	301	286	307
MTI 1250	L = 1250 mm	273	301	338	329	359
MTI 1500	L = 1500 mm	295	326	365	368	
MTI 1750	L = 1750 mm	319	350	399	408	
MTI 2000	L = 2000 mm	347	381	436	451	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

MTF 1000	L = 1000 mm	240	267	301		
-----------------	-------------	------------	-----	-----	--	--

Wall bracket, for Ø50/75 mm

MVK		87	99	102	124	
------------	--	-----------	----	-----	-----	--

Flexible table bracket

MBF		69	78			
------------	--	-----------	----	--	--	--



Escutcheon plate for ceiling brackets MTI & MTF

made of PP















MTI CT		26	32	32		
---------------	--	-----------	----	----	--	--


Cap for MTI profile, including screws

MTI TP		23	29	29		
---------------	--	-----------	----	----	--	--



Accessories for local extractor ME Ø75

						
				PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME				
		- Standard; hood tubes in anodised aluminium				
		- PP; hood tubes and hoods in Polypropylene				
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1				
		- EX; Complies with the ATEX requirements EX II 2 GD				
	MEFS	Art. No.	Standard			
		Suction nozzle				
		MES 300-75	Ø75 mm	44	47	53
		Flexible suction nozzle L= 600 mm (ESD)				
		MEFS 600-75ES	Ø75 mm		188	
	MEPH	Flat screen hood 300 x 200 mm				
		MPH 300	excl. hood tube	75	87	111
		MEPH 300-75	Ø75 mm	108	124	154
	MEM	Metal hood Ø250 mm				
		MM 250	excl. hood tube	44		59
		MEM 250-75	Ø75 mm	78	81	102
	MEMB	Metal hood Ø250 mm with working light (LED)				
		MEMB 250-75	Ø75 mm	381		
	MEK	Dome hood Ø350 mm				
		MK 350	excl. hood tube	81	66	130
		MEK 350-75	Ø75 mm	115	102	173
	MEK	Polypropylene dome hood and aluminium hood tube				
		MEK 350-75P/A	Ø75 mm	99		
	MESH	Square hood 360 x 310 mm				
		MSH 350	excl. hood tube	84		
		MESH 350-75	Ø75 mm	118		
	MEHR	Hood tube				
		MEHR-75	Ø75 mm	35	38	44
	MRM	Reducers in PP				
	MSG	Reducers in PP				
		MRM 100-75		35	44	44
		Protection grill, to be mounted in joint				
		MSG-75		41	47	47




Local extractor ME Ø100, 3-joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ATEX
Extractor for table mounting				
MEB 1150-100	Ø100 mm	436	466	509
MEB 1350-100	Ø100 mm	472	503	558
MEB 1650-100	Ø100 mm	525	564	619
MEB 1900-100	Ø100 mm	558	598	662
Extractor for ceiling- or wall mounting, excluding bracket				
MET 1150-100	Ø100 mm	436	466	509
MET 1350-100	Ø100 mm	472	503	558
MET 1650-100	Ø100 mm	525	564	619
MET 1900-100	Ø100 mm	558	598	662
MET 2100-100	Ø100 mm	628	674	745
MET 2650-100	Ø100 mm	684	735	812












Brackets for local extractor ME Ø100

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø100 mm					
MTI 500-125	L = 500 mm	350	442	387	408
MTI 750-125	L = 750 mm	365	460	405	426
MTI 1000-125	L = 1000 mm	381	479	426	448
MTI 1250-125	L = 1250 mm	402	503	457	488
MTI 1500-125	L = 1500 mm	442	552	515	
MTI 1750-125	L = 1750 mm	466	582	555	
MTI 2000-125	L = 2000 mm	488	607	592	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
MTF 1000-125	L = 1000 mm	381	479		
Wall bracket, for Ø100 mm					
MVK-125		142	166	179	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
MTI CT-125		32	38		
Cap for MTI-125 profile, including screws					
MTI TP-125		29	35		

		Accessories for local extractor ME Ø100		
		Hoods for local extractor ME, - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - EX; Complies with the ATEX requirements EX II 2 GD		
Art. No.		Standard	 PP	 ATEX
	MES			
	MEPH	Suction nozzle MES 300-100	105	
	MEM	Flat screen hood 375x250 mm MPH 375 excl. hood tube MEPH 375-100 Ø100 mm	87 127	108 151
	MEK	Metal hood Ø250 mm MM 251 excl. hood tube MEM 251-100 Ø100 mm	47 87	62 108
	MESH	Dome hood Ø350 mm alt Ø500 mm MK 351 excl. hood tube MEK 351-100 Ø100 mm MK 500 excl. hood tube MEK 500-100 Ø100 mm	81 121 108 148	66 108 127 170
	MEHR	Polypropylene doom hood and aluminium hood tube MEK 351-100P/A Ø100 mm	105	
	MESG	Square hood 570 x 470 mm MSH 500 excl. hood tube MESH 500-100 Ø100 mm	108 148	
		Hood tube MEHR-100 Ø100 mm	41	44 47
		Protection grill, to be mounted in Ø100 joint MESG-100	50	50