


**FUMEX****Prijzlijst - ME 50 - 75 - 100****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 36,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnnummer van andel techniek bv: 230 70806




**Local extractor ME Ø50 & Ø75, 3 joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
<b>MEB 1000-50</b>	Ø50 mm	<b>223</b>		<b>257</b>	
<b>MEB 1300-50</b>	Ø50 mm	<b>265</b>		<b>310</b>	
<b>MEB 1500-50</b>	Ø50 mm	<b>326</b>		<b>378</b>	
Extractor for ceiling- or wall mounting, excluding bracket					
<b>MET 1000-50</b>	Ø50 mm	<b>223</b>		<b>257</b>	
<b>MET 1300-50</b>	Ø50 mm	<b>265</b>		<b>310</b>	
<b>MET 1500-50</b>	Ø50 mm	<b>326</b>		<b>378</b>	




**Local extractor ME Ø50, 2 joints**

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



Art. No.		Standard	ESD
Extractor for table mounting			
<b>MEB 650-50</b>	Ø50 mm	<b>182</b>	<b>208</b>
<b>MEB 750-50</b>	Ø50 mm	<b>188</b>	<b>215</b>
Extractor for ceiling- or wall mounting, excluding bracket			
<b>MET 650-50</b>	Ø50 mm	<b>182</b>	<b>208</b>
<b>MET 750-50</b>	Ø50 mm	<b>188</b>	<b>215</b>



**Local extractor ME Ø50, 1 joint**



Local extractor ME, with 1 joint, available in ESD; Electrostatic Discharge, certified EN 100015-1, for table mounting.



Art. No.		ESD
<b>MEBC 700-50ES</b>	Ø50 mm	<b>306</b>
Flexible table bracket		
<b>MBFCES</b>	Ø50 mm	<b>82</b>













**Brackets for local extractor ME Ø50 & Ø75**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD




Art. No.	Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm					
<b>MTI 250</b> L = 250 mm	<b>133</b>	<b>153</b>	172	169	189
<b>MTI 500</b> L = 500 mm	<b>175</b>	<b>198</b>	221	218	241
<b>MTI 750</b> L = 750 mm	<b>214</b>	<b>244</b>	274	261	284
<b>MTI 1000</b> L = 1000 mm	<b>252</b>	<b>287</b>	323	306	329
<b>MTI 1250</b> L = 1250 mm	<b>288</b>	<b>323</b>	362	353	385
<b>MTI 1500</b> L = 1500 mm	<b>310</b>	<b>349</b>	392	395	
<b>MTI 1750</b> L = 1750 mm	<b>336</b>	<b>375</b>	428	438	
<b>MTI 2000</b> L = 2000 mm	<b>365</b>	<b>408</b>	467	483	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø50/75 mm					
<b>MTF 1000</b> L = 1000 mm	<b>252</b>	<b>287</b>	323		
Wall bracket, for Ø50/75 mm					
<b>MVK</b>	<b>91</b>	<b>107</b>	<b>110</b>	133	
Flexible table bracket					
<b>MBF</b>	<b>72</b>	<b>86</b>			
Escutcheon plate for ceiling brackets MTI & MTF made of PP					
<b>MTI CT</b>	<b>27</b>	<b>35</b>	<b>35</b>		
Cap for MTI profile, including screws					
<b>MTI TP</b>	<b>24</b>	<b>31</b>	<b>31</b>		

**Accessories for local extractor ME Ø50 & Ø75**

Art. No.		Standard	PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME			
- Standard; hood tubes in anodised aluminium					
- PP; hood tubes and hoods in Polypropylene					
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1					
- EX; Complies with the ATEX requirements EX II 2 GD					
	MEFS	Suction nozzle			
	<b>MES 300-50</b>	Ø50 mm	<b>43</b>	<b>47</b>	
	Flexible suction nozzle L= 600 mm (ESD)				
	<b>MEFS 600-50ES</b>	Ø50 mm		<b>169</b>	
	MEPH	Flat screen hood 300 x 200 mm			
	<b>MPH 300</b>	excl. hood tube	<b>78</b>	<b>91</b>	<b>120</b>
	<b>MEPH 300-50</b>	Ø50 mm	<b>114</b>	<b>160</b>	
	MEM	Metal hood Ø250 mm			
	<b>MM 250</b>	excl. hood tube	<b>46</b>	<b>51</b>	<b>64</b>
	<b>MEM 250-50</b>	Ø50 mm	<b>82</b>	<b>91</b>	
	MEMB	Metal hood Ø250 mm with working light (LED)			
	<b>MEMB 250-50</b>	Ø50 mm	<b>400</b>		
	MK	Dome hood Ø350 mm			
	<b>MK 350</b>	excl. hood tube	<b>85</b>	<b>69</b>	<b>139</b>
	<b>MEK 350-50</b>	Ø50 mm	<b>121</b>	<b>179</b>	<b>139</b>
	MEK	Polypropylene dome hood and aluminium hood tube			
	<b>MEK 350-50P/A</b>	Ø50 mm	<b>105</b>		
	MESH	Square hood 360 x 310 mm			
	<b>MSH 350</b>	excl. hood tube	<b>88</b>		
	<b>MESH 350-50</b>	Ø50 mm	<b>124</b>		
	MEHR	Hood tube			
	<b>MEHR-50</b>	Ø50 mm	<b>37</b>	<b>41</b>	
	MRM	Reducers in PP			
	<b>MRM 100-50</b>		<b>37</b>	<b>47</b>	<b>47</b>
	MRM	Protection grill, to be mounted in joint			
	MSG		<b>44</b>	<b>44</b>	<b>44</b>

**Local extractor ME Ø50 & Ø75, 3 joints**



Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
<b>MEB 1000-75</b>	Ø75 mm	<b>323</b>	<b>345</b>	<b>395</b>	<b>395</b>
<b>MEB 1300-75</b>	Ø75 mm	<b>358</b>	<b>384</b>	<b>438</b>	<b>438</b>
<b>MEB 1500-75</b>	Ø75 mm	<b>384</b>	<b>416</b>	<b>471</b>	<b>471</b>
Extractor for ceiling- or wall mounting, excluding bracket					
<b>MET 1000-75</b>	Ø75 mm	<b>323</b>	<b>345</b>	<b>395</b>	<b>395</b>
<b>MET 1300-75</b>	Ø75 mm	<b>358</b>	<b>384</b>	<b>438</b>	<b>438</b>
<b>MET 1500-75</b>	Ø75 mm	<b>384</b>	<b>416</b>	<b>471</b>	<b>471</b>
<b>MET 2000-75</b>	Ø75 mm	<b>445</b>			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
<b>METS 1500-75</b>	Ø75 mm	<b>490</b>	<b>522</b>	<b>575</b>	<b>575</b>
<b>METS 2000-75</b>	Ø75 mm	<b>548</b>	<b>548</b>	<b>644</b>	<b>644</b>

**Brackets for local extractor ME Ø50 & Ø75**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD



**Outside epoxy painting**

**In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
<b>MTI 250</b>	L = 250 mm	<b>133</b>	<b>153</b>	172	169	189
<b>MTI 500</b>	L = 500 mm	<b>175</b>	<b>198</b>	221	218	241
<b>MTI 750</b>	L = 750 mm	<b>214</b>	<b>244</b>	274	261	284
<b>MTI 1000</b>	L = 1000 mm	<b>252</b>	<b>287</b>	323	306	329
<b>MTI 1250</b>	L = 1250 mm	<b>288</b>	<b>323</b>	362	353	385
<b>MTI 1500</b>	L = 1500 mm	<b>310</b>	<b>349</b>	392	395	
<b>MTI 1750</b>	L = 1750 mm	<b>336</b>	<b>375</b>	428	438	
<b>MTI 2000</b>	L = 2000 mm	<b>365</b>	<b>408</b>	467	483	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

<b>MTF 1000</b>	L = 1000 mm	<b>252</b>	<b>287</b>	323		
-----------------	-------------	------------	------------	-----	--	--

Wall bracket, for Ø50/75 mm

<b>MVK</b>		<b>91</b>	<b>107</b>	<b>110</b>	133	
------------	--	-----------	------------	------------	-----	--

Flexible table bracket

<b>MBF</b>		<b>72</b>	<b>86</b>			
------------	--	-----------	-----------	--	--	--


Escutcheon plate for ceiling brackets MTI & MTF

made of PP


<b>MTI CT</b>		<b>27</b>	<b>35</b>	<b>35</b>		
---------------	--	-----------	-----------	-----------	--	--

Cap for MTI profile, including screws

<b>MTI TP</b>		<b>24</b>	<b>31</b>	<b>31</b>		
---------------	--	-----------	-----------	-----------	--	--



MTI



MTF



MVK


















MBF



MTI CT

**Accessories for local extractor ME Ø50 & Ø75**

								
				Standard	PP	ESD	ATEX	
	MES	Nozzles, hoods and reducers for local extractor ME						
		- Standard; hood tubes in anodised aluminium						
		- PP; hood tubes and hoods in Polypropylene						
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1						
		- EX; Complies with the ATEX requirements EX II 2 GD						
	MEFS	<b>Art. No.</b>						
		Suction nozzle						
		<b>MES 300-75</b>	Ø75 mm	<b>46</b>	<b>50</b>	<b>57</b>	<b>57</b>	
		Flexible suction nozzle L= 600 mm (ESD)						
		<b>MEFS 600-75ES</b>	Ø75 mm			<b>202</b>		
	MEPH	Flat screen hood 300 x 200 mm						
		<b>MPH 300</b>	excl. hood tube	<b>78</b>	<b>91</b>	<b>120</b>	<b>120</b>	
		<b>MEPH 300-75</b>	Ø75 mm	<b>114</b>	<b>130</b>	<b>166</b>	<b>166</b>	
	MEM	Metal hood Ø250 mm						
		<b>MM 250</b>	excl. hood tube	<b>46</b>		<b>51</b>	<b>64</b>	
		<b>MEM 250-75</b>	Ø75 mm	<b>82</b>	<b>85</b>	<b>97</b>	<b>110</b>	
	MEMB	Metal hood Ø250 mm with working light (LED)						
		<b>MEMB 250-75</b>	Ø75 mm	<b>400</b>				
	MEK	Dome hood Ø350 mm						
		<b>MK 350</b>	excl. hood tube	<b>85</b>	<b>69</b>	<b>139</b>	<b>139</b>	
		<b>MEK 350-75</b>	Ø75 mm	<b>121</b>	<b>108</b>	<b>186</b>	<b>186</b>	
	MEK	Polypropylene dome hood and aluminium hood tube						
		<b>MEK 350-75P/A</b>	Ø75 mm	<b>105</b>				
	MESH	Square hood 360 x 310 mm						
		<b>MSH 350</b>	excl. hood tube	<b>88</b>				
		<b>MESH 350-75</b>	Ø75 mm	<b>124</b>				
	MEHR	Hood tube						
		<b>MEHR-75</b>	Ø75 mm	<b>37</b>	<b>40</b>	<b>47</b>	<b>47</b>	
	MRM	Reducers in PP						
	MSG	<b>MRM 100-75</b>		<b>37</b>		<b>47</b>	<b>47</b>	
		Protection grill, to be mounted in joint						
		<b>MSG-75</b>		<b>43</b>		<b>51</b>	<b>51</b>	




**Local extractor ME Ø100, 3-joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ATEX
Extractor for table mounting				
<b>MEB 1150-100</b>	Ø100 mm	467	500	546
<b>MEB 1350-100</b>	Ø100 mm	507	540	598
<b>MEB 1650-100</b>	Ø100 mm	562	605	664
<b>MEB 1900-100</b>	Ø100 mm	598	641	710
Extractor for ceiling- or wall mounting, excluding bracket				
<b>MET 1150-100</b>	Ø100 mm	<b>467</b>	<b>500</b>	<b>546</b>
<b>MET 1350-100</b>	Ø100 mm	<b>507</b>	<b>540</b>	<b>598</b>
<b>MET 1650-100</b>	Ø100 mm	<b>562</b>	<b>605</b>	<b>664</b>
<b>MET 1900-100</b>	Ø100 mm	<b>598</b>	<b>641</b>	<b>710</b>
<b>MET 2100-100</b>	Ø100 mm	<b>674</b>	<b>723</b>	<b>798</b>
<b>MET 2650-100</b>	Ø100 mm	<b>733</b>	<b>788</b>	<b>871</b>













**Brackets for local extractor ME Ø100**

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø100 mm					
<b>MTI 500-125</b>	L = 500 mm	<b>375</b>	474	415	438
<b>MTI 750-125</b>	L = 750 mm	<b>392</b>	493	434	457
<b>MTI 1000-125</b>	L = 1000 mm	<b>408</b>	513	457	480
<b>MTI 1250-125</b>	L = 1250 mm	<b>431</b>	540	491	523
<b>MTI 1500-125</b>	L = 1500 mm	<b>474</b>	592	552	
<b>MTI 1750-125</b>	L = 1750 mm	<b>500</b>	624	595	
<b>MTI 2000-125</b>	L = 2000 mm	<b>523</b>	651	635	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
<b>MTF 1000-125</b>	L = 1000 mm	<b>408</b>	513		
Wall bracket, for Ø100 mm					
<b>MVK-125</b>		<b>153</b>	<b>179</b>	<b>192</b>	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
<b>MTI CT-125</b>		<b>35</b>	<b>41</b>		
Cap for MTI-125 profile, including screws					
<b>MTI TP-125</b>		<b>31</b>	<b>38</b>		



		<b>Accessories for local extractor ME Ø100</b>		
		Hoods for local extractor ME, - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - EX; Complies with the ATEX requirements EX II 2 GD		
				
<b>Art. No.</b>		<b>Standard</b>	<b>PP</b>	<b>ATEX</b>
	MES			
	MEPH	<b>Suction nozzle</b> <b>MES 300-100</b>	<b>113</b>	
Flat screen hood 375x250 mm				
	MEM	<b>MPH 375</b> excl. hood tube	<b>93</b>	<b>159</b>
		<b>MEPH 375-100</b> Ø100 mm	<b>136</b>	<b>209</b>
Metal hood Ø250 mm				
		<b>MM 251</b> excl. hood tube	<b>51</b>	<b>67</b>
		<b>MEM 251-100</b> Ø100 mm	<b>94</b>	<b>117</b>
Metal hood Ø250 mm with working light (LED)				
	MEMB	<b>MEMB 251-100</b> Ø100 mm	<b>412</b>	
Dome hood Ø350 mm alt Ø500 mm				
	MEK	<b>MK 351</b> excl. hood tube	<b>87</b>	<b>139</b>
		<b>MEK 351-100</b> Ø100 mm	<b>130</b>	<b>189</b>
		<b>MK 500</b> excl. hood tube	<b>117</b>	<b>172</b>
		<b>MEK 500-100</b> Ø100 mm	<b>160</b>	<b>222</b>
Polypropylene doom hood and aluminium hood tube				
		<b>MEK 351-100P/A</b> Ø100 mm	<b>114</b>	
Square hood 570 x 470 mm				
	MESH	<b>MSH 500</b> excl. hood tube	<b>117</b>	
		<b>MESH 500-100</b> Ø100 mm	<b>160</b>	
Hood tube				
	MEHR	<b>MEHR-100</b> Ø100 mm	<b>44</b>	<b>51</b>
Protection grill, to be mounted in Ø100 joint				
	MESG	<b>MESG-100</b>	<b>54</b>	<b>54</b>