


**FUMEX****Prijzlijst - ME 75****van andel techniek bv****Conditie**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 36,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijfnummer van andel techniek bv: 230 70806

**Local extractor ME Ø50 & Ø75, 3 joints**





Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting  
 - Standard; Aluminium tubes, joints in Polypropylene  
 - PP; Tubes and joints in Polypropylene  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
<b>MEB 1000-75</b>	Ø75 mm	<b>323</b>	<b>345</b>	<b>395</b>	<b>395</b>
<b>MEB 1300-75</b>	Ø75 mm	<b>358</b>	<b>384</b>	<b>438</b>	<b>438</b>
<b>MEB 1500-75</b>	Ø75 mm	<b>384</b>	<b>416</b>	<b>471</b>	<b>471</b>
Extractor for ceiling- or wall mounting, excluding bracket					
<b>MET 1000-75</b>	Ø75 mm	<b>323</b>	<b>345</b>	<b>395</b>	<b>395</b>
<b>MET 1300-75</b>	Ø75 mm	<b>358</b>	<b>384</b>	<b>438</b>	<b>438</b>
<b>MET 1500-75</b>	Ø75 mm	<b>384</b>	<b>416</b>	<b>471</b>	<b>471</b>
<b>MET 2000-75</b>	Ø75 mm	<b>445</b>			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
<b>METS 1500-75</b>	Ø75 mm	<b>490</b>	<b>522</b>	<b>575</b>	<b>575</b>
<b>METS 2000-75</b>	Ø75 mm	<b>548</b>	<b>548</b>	<b>644</b>	<b>644</b>


















**Brackets for local extractor ME Ø50 & Ø75**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD



Art. No.	Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm					
<b>MTI 250</b> L = 250 mm	<b>133</b>	<b>153</b>	172	169	189
<b>MTI 500</b> L = 500 mm	<b>175</b>	<b>198</b>	221	218	241
<b>MTI 750</b> L = 750 mm	<b>214</b>	<b>244</b>	274	261	284
<b>MTI 1000</b> L = 1000 mm	<b>252</b>	<b>287</b>	323	306	329
<b>MTI 1250</b> L = 1250 mm	<b>288</b>	<b>323</b>	362	353	385
<b>MTI 1500</b> L = 1500 mm	<b>310</b>	<b>349</b>	392	395	
<b>MTI 1750</b> L = 1750 mm	<b>336</b>	<b>375</b>	428	438	
<b>MTI 2000</b> L = 2000 mm	<b>365</b>	<b>408</b>	467	483	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø50/75 mm					
<b>MTF 1000</b> L = 1000 mm	<b>252</b>	<b>287</b>	323		
Wall bracket, for Ø50/75 mm					
<b>MVK</b>	<b>91</b>	<b>107</b>	<b>110</b>	133	
Flexible table bracket					
<b>MBF</b>	<b>72</b>	<b>86</b>			
Escutcheon plate for ceiling brackets MTI & MTF made of PP					
<b>MTI CT</b>	<b>27</b>	<b>35</b>	<b>35</b>		
Cap for MTI profile, including screws					
<b>MTI TP</b>	<b>24</b>	<b>31</b>	<b>31</b>		

**Accessories for local extractor ME Ø50 & Ø75**

		  					
		Standard	PP	ESD	ATEX		
	MES	Nozzles, hoods and reducers for local extractor ME - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 - EX; Complies with the ATEX requirements EX II 2 GD					
	MEFS	Art. No.					
		Suction nozzle					
		<b>MES 300-75</b>	Ø75 mm	46	50	57	57
		Flexible suction nozzle L= 600 mm (ESD)					
		<b>MEFS 600-75ES</b>	Ø75 mm			202	
	MEPH	Flat screen hood 300 x 200 mm					
		<b>MPH 300</b>	excl. hood tube	78	91	120	120
		<b>MEPH 300-75</b>	Ø75 mm	114	130	166	166
	MEM	Metal hood Ø250 mm					
		<b>MM 250</b>	excl. hood tube	46		51	64
		<b>MEM 250-75</b>	Ø75 mm	82	85	97	110
	MEMB	Metal hood Ø250 mm with working light (LED)					
		<b>MEMB 250-75</b>	Ø75 mm	400			
	MK	Dome hood Ø350 mm					
		<b>MK 350</b>	excl. hood tube	85	69	139	139
		<b>MEK 350-75</b>	Ø75 mm	121	108	186	186
	MEK	Polypropylene dome hood and aluminium hood tube					
		<b>MEK 350-75P/A</b>	Ø75 mm	105			
	MESH	Square hood 360 x 310 mm					
		<b>MSH 350</b>	excl. hood tube	88			
		<b>MESH 350-75</b>	Ø75 mm	124			
	MEHR	Hood tube					
		<b>MEHR-75</b>	Ø75 mm	37	40	47	47
	MRM	Reducers in PP					
		<b>MRM 100-75</b>		37		47	47
	MRM	Protection grill, to be mounted in joint					
	MSG	<b>MSG-75</b>		43		51	51