


FUMEX**Prijzlijst - ME 50 - 75 - 100****van andel techniek bv****Condities**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijffnummer van andel techniek bv: 230 70806




Local extractor ME Ø50, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-50	Ø50 mm	247		284	
MEB 1300-50	Ø50 mm	293		342	
MEB 1500-50	Ø50 mm	360		418	
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-50	Ø50 mm	247		284	
MET 1300-50	Ø50 mm	293		342	
MET 1500-50	Ø50 mm	360		418	




Local extractor ME Ø50, 2 joints

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



Art. No.		Standard	ESD
Extractor for table mounting			
MEB 650-50	Ø50 mm	201	230
MEB 750-50	Ø50 mm	208	237
Extractor for ceiling- or wall mounting, excluding bracket			
MET 650-50	Ø50 mm	201	230
MET 750-50	Ø50 mm	208	237



Local extractor ME Ø50, 1 joint

Local extractor ME, with 1 joint, available in ESD;
Electrostatic Discharge, certified EN 100015-1, for table mounting.



Art. No.		ESD
MEBC 700-50ES	Ø50 mm	339
Flexible table bracket		
MBFCES	Ø50 mm	91

Brackets for local extractor ME Ø50

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside epoxy painting

In & outside epoxy painting

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	147	169	190	187	208
MTI 500	L = 500 mm	193	219	245	241	266
MTI 750	L = 750 mm	236	270	303	288	314
MTI 1000	L = 1000 mm	279	317	357	339	363
MTI 1250	L = 1250 mm	318	357	400	390	426
MTI 1500	L = 1500 mm	342	386	433	436	
MTI 1750	L = 1750 mm	371	414	472	483	
MTI 2000	L = 2000 mm	403	450	516	534	

Other lengths available upon request


Ceiling bracket, telescopic, for Ø50/75 mm						
MTF 1000	L = 1000 mm	279	317	357		

Wall bracket, for Ø50/75 mm						
MVK		101	118	121	147	












Flexible table bracket						
MBF		80	96	96		


Escutcheon plate for ceiling brackets MTI & MTF made of PP						
MCT		30	39	39		

Cap for MTI profile, including screws						
MTI TP		27	34	34		



Accessories for local extractor ME Ø50

Art. No.		Standard	PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME			
- Standard; hood tubes in anodised aluminium					
- PP; hood tubes and hoods in Polypropylene					
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1					
- EX; Complies with the ATEX requirements EX II 2 GD					
	MEFS	Suction nozzle			
MES 300-50	Ø50 mm	48		52	
	Flexible suction nozzle L= 600 mm (ESD)				
MEFS 600-50ES	Ø50 mm			187	
	MEPH	Flat screen hood 300 x 200 mm			
MPH 300	excl. hood tube	87	101	132	132
MEPH 300-50	Ø50 mm	127		177	
	MEM	Metal hood Ø250 mm			
MM 250	excl. hood tube	51		57	71
MEM 250-50	Ø50 mm	92		101	
	MEMB	Metal hood Ø250 mm with working light (LED)			
MEMB 250-50	Ø50 mm	442			
	MK	Dome hood Ø350 mm			
MK 350	excl. hood tube	94	77	154	154
MEK 350-50	Ø50 mm	135		198	
	MEK	Polypropylene dome hood and aluminium hood tube			
MEK 350-50P/A	Ø50 mm	117			
	MESH	Square hood 360 x 310 mm			
MSH 350	excl. hood tube	98			
MESH 350-50	Ø50 mm	138			
	MEHR	Hood tube			
MEHR-50	Ø50 mm	41		45	
	MRM	Reducers in PP			
MRM 100-50		41		52	52
	MESG	Protection grill, to be mounted in joint			
MESG-50		49		49	49



Local extractor ME Ø75, 3 joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
MEB 1000-75	Ø75 mm	357	381	436	436
MEB 1300-75	Ø75 mm	396	424	483	483
MEB 1500-75	Ø75 mm	424	459	519	519
Extractor for ceiling- or wall mounting, excluding bracket					
MET 1000-75	Ø75 mm	357	381	436	436
MET 1300-75	Ø75 mm	396	424	483	483
MET 1500-75	Ø75 mm	424	459	519	519
MET 2000-75	Ø75 mm	492			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
METS 1500-75	Ø75 mm	541	577	635	635
METS 2000-75	Ø75 mm	605	605	711	711

Brackets for local extractor ME Ø75

Brackets for local extractor,
 - Standard; anodised aluminium
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
 - EX; Complies with the ATEX requirements EX II 2 GD



Outside epoxy painting **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
MTI 250	L = 250 mm	147	169	190	187	208
MTI 500	L = 500 mm	193	219	245	241	266
MTI 750	L = 750 mm	236	270	303	288	314
MTI 1000	L = 1000 mm	279	317	357	339	363
MTI 1250	L = 1250 mm	318	357	400	390	426
MTI 1500	L = 1500 mm	342	386	433	436	
MTI 1750	L = 1750 mm	371	414	472	483	
MTI 2000	L = 2000 mm	403	450	516	534	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

MTF 1000	L = 1000 mm	279	317	357		
-----------------	-------------	------------	------------	-----	--	--

Wall bracket, for Ø50/75 mm

MVK		101	118	121	147	
------------	--	------------	------------	------------	-----	--

Flexible table bracket

MBF		80	96	96		
------------	--	-----------	-----------	-----------	--	--


Escutcheon plate for ceiling brackets MTI & MTF

made of PP


MCT		30	39	39		
------------	--	-----------	-----------	-----------	--	--

Cap for MTI profile, including screws

MTI TP		27	34	34		
---------------	--	-----------	-----------	-----------	--	--



MTI



MTF

















MVK




MBF



MCT

		Accessories for local extractor ME Ø75				
	MES	Nozzles, hoods and reducers for local extractor ME				
		- Standard; hood tubes in anodised aluminium				
		- PP; hood tubes and hoods in Polypropylene				
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1				
		- EX; Complies with the ATEX requirements EX II 2 GD				
						
		Art. No.	Standard	PP	ESD	ATEX
	MEFS	Suction nozzle				
		MES 300-75	Ø75 mm	51	55	63
		Flexible suction nozzle L= 600 mm (ESD)				
		MEFS 600-75ES	Ø75 mm		223	
	MEPH	Flat screen hood 300 x 200 mm				
		MPH 300	excl. hood tube	87	101	132
		MEPH 300-75	Ø75 mm	127	145	184
	MEM	Metal hood Ø250 mm				
		MM 250	excl. hood tube	51		71
		MEM 250-75	Ø75 mm	92	95	108
	MEMB	Metal hood Ø250 mm with working light (LED)				
		MEMB 250-75	Ø75 mm	442		
	MK	Dome hood Ø350 mm				
		MK 350	excl. hood tube	94	77	154
		MEK 350-75	Ø75 mm	135	120	205
	MEK	Polypropylene dome hood and aluminium hood tube				
		MEK 350-75P/A	Ø75 mm	117		
	MESH	Square hood 360 x 310 mm				
		MSH 350	excl. hood tube	98		
		MESH 350-75	Ø75 mm	138		
	MEHR	Hood tube				
		MEHR-75	Ø75 mm	41	45	52
	MRM	Reducers in PP				
	MESG	Protection grill, to be mounted in joint				
		MRM 100-75		41	52	52
		MESG-75		57	57	57




Local extractor ME Ø100, 3-joints

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ATEX
Extractor for table mounting				
MEB 1150-100	Ø100 mm	536	573	626
MEB 1350-100	Ø100 mm	581	618	686
MEB 1650-100	Ø100 mm	645	693	762
MEB 1900-100	Ø100 mm	686	735	814
Extractor for ceiling- or wall mounting, excluding bracket				
MET 1150-100	Ø100 mm	536	573	626
MET 1350-100	Ø100 mm	581	618	686
MET 1650-100	Ø100 mm	645	693	762
MET 1900-100	Ø100 mm	686	735	814
MET 2100-100	Ø100 mm	772	829	915
MET 2650-100	Ø100 mm	840	903	998













Brackets for local extractor ME Ø100

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø100 mm					
MTI 500-125	L = 500 mm	430	543	476	502
MTI 750-125	L = 750 mm	449	566	498	525
MTI 1000-125	L = 1000 mm	468	588	525	550
MTI 1250-125	L = 1250 mm	495	618	562	600
MTI 1500-125	L = 1500 mm	543	678	633	
MTI 1750-125	L = 1750 mm	573	716	682	
MTI 2000-125	L = 2000 mm	600	746	728	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
MTF 1000-125	L = 1000 mm	468	588		
Wall bracket, for Ø100 mm					
MVK-125		175	205	221	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
MCT-125		40	47		
Cap for MTI-125 profile, including screws					
MTI TP-125		36	44		

Accessories for local extractor ME Ø100				
		Standard	 PP	 ATEX
	MES	Hoods for local extractor ME, - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - EX; Complies with the ATEX requirements EX II 2 GD		
	MEPH	Suction nozzle MES 300-100		
	MEM	Flat screen hood 375x250 mm MPH 375 excl. hood tube 107 134 182 MEPH 375-100 Ø100 mm 157 187 240		
	MEMB	Metal hood Ø250 mm MM 251 excl. hood tube 59 77 MEM 251-100 Ø100 mm 109 135		
	MEK	Metal hood Ø250 mm with working light (LED) MEMB 251-100 Ø100 mm 472		
	MESH	Dome hood Ø350 mm alt Ø500 mm MK 351 excl. hood tube 100 81 160 MEK 351-100 Ø100 mm 150 135 218 MK 500 excl. hood tube 134 156 198 MEK 500-100 Ø100 mm 184 210 255		
	MEHR	Polypropylene doom hood and aluminium hood tube MEK 351-100P/A Ø100 mm 131		
	MESH	Square hood 570 x 470 mm MSH 500 excl. hood tube 134 MESH 500-100 Ø100 mm 184		
		Hood tube MEHR-100 Ø100 mm 51 54 59		
		Protection grill, to be mounted in Ø100 joint MESG-100 63 63		