


**FUMEX****Prijzlijst - ME 50 - 75 - 100****van andel techniek bv****Condities**

- Prijzen zijn in € per stuk/per meter exclusief BTW, tenzij anders aangegeven
- Prijzen zijn exclusief montage, tenzij anders aangegeven
- Levertijd zo mogelijk uit voorraad centraal magazijn (zowel t.t.v.v. als ook o.o.v.)
- Maatwerk en speciaal voor u bestelde goederen worden niet retour genomen
- Prijzen en condities kunnen zonder voorafgaande kennisgeving worden gewijzigd
- Levering franco huis Nederland bij opdrachten vanaf een waarde van € 800,00
- Bij opdrachten onder € 800,00 worden de vrachtkosten op factuur doorberekend
- Het minimum vrachttarief bedraagt € 39,00
- Verpakking inclusief

Op al onze offertes, alle aan ons verstrekte opdrachten en alle met ons gesloten overeenkomsten alsmede alle daaruit voortvloeiende rechtsbetrekkingen zijn onze algemene voorwaarden van toepassing, gedeponereerd bij de Kamer van Koophandel te Rotterdam. De toepasselijkheid van de door de afnemer gehanteerde algemene (inkoop)voorwaarden wijzen wij uitdrukkelijk van de hand. De leveringsvoorwaarden worden u op verzoek toegezonden. K.v.K. inschrijffnummer van andel techniek bv: 230 70806




**Local extractor ME Ø50, 3 joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
<b>MEB 1000-50</b>	Ø50 mm	<b>247</b>		<b>284</b>	
<b>MEB 1300-50</b>	Ø50 mm	<b>293</b>		<b>342</b>	
<b>MEB 1500-50</b>	Ø50 mm	<b>360</b>		<b>418</b>	
Extractor for ceiling- or wall mounting, excluding bracket					
<b>MET 1000-50</b>	Ø50 mm	<b>247</b>		<b>284</b>	
<b>MET 1300-50</b>	Ø50 mm	<b>293</b>		<b>342</b>	
<b>MET 1500-50</b>	Ø50 mm	<b>360</b>		<b>418</b>	




**Local extractor ME Ø50, 2 joints**

Local extractor ME, with 2 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1



Art. No.		Standard	ESD
Extractor for table mounting			
<b>MEB 650-50</b>	Ø50 mm	<b>201</b>	<b>230</b>
<b>MEB 750-50</b>	Ø50 mm	<b>208</b>	<b>237</b>
Extractor for ceiling- or wall mounting, excluding bracket			
<b>MET 650-50</b>	Ø50 mm	<b>201</b>	<b>230</b>
<b>MET 750-50</b>	Ø50 mm	<b>208</b>	<b>237</b>



**Local extractor ME Ø50, 1 joint**

Local extractor ME, with 1 joint, available in ESD;  
Electrostatic Discharge, certified EN 100015-1, for table mounting.



Art. No.		ESD
<b>MEBC 700-50ES</b>	Ø50 mm	<b>339</b>
Flexible table bracket		
<b>MBFCES</b>	Ø50 mm	<b>91</b>

**Brackets for local extractor ME Ø50**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD



**Outside epoxy painting**      **In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
<b>MTI 250</b>	L = 250 mm	<b>147</b>	<b>169</b>	190	187	208
<b>MTI 500</b>	L = 500 mm	<b>193</b>	<b>219</b>	245	241	266
<b>MTI 750</b>	L = 750 mm	<b>236</b>	<b>270</b>	303	288	314
<b>MTI 1000</b>	L = 1000 mm	<b>279</b>	<b>317</b>	357	339	363
<b>MTI 1250</b>	L = 1250 mm	<b>318</b>	<b>357</b>	400	390	426
<b>MTI 1500</b>	L = 1500 mm	<b>342</b>	<b>386</b>	433	436	
<b>MTI 1750</b>	L = 1750 mm	<b>371</b>	<b>414</b>	472	483	
<b>MTI 2000</b>	L = 2000 mm	<b>403</b>	<b>450</b>	516	534	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

<b>MTF 1000</b>	L = 1000 mm	<b>279</b>	<b>317</b>	357		
-----------------	-------------	------------	------------	-----	--	--

Wall bracket, for Ø50/75 mm

<b>MVK</b>		<b>101</b>	<b>118</b>	<b>121</b>	147	
------------	--	------------	------------	------------	-----	--

Flexible table bracket

<b>MBF</b>		<b>80</b>	<b>96</b>	<b>96</b>		
------------	--	-----------	-----------	-----------	--	--



Escutcheon plate for ceiling brackets MTI & MTF

made of PP












<b>MCT</b>		<b>30</b>	<b>39</b>	<b>39</b>		
------------	--	-----------	-----------	-----------	--	--


Cap for MTI profile, including screws

<b>MTI TP</b>		<b>27</b>	<b>34</b>	<b>34</b>		
---------------	--	-----------	-----------	-----------	--	--



**Accessories for local extractor ME Ø50**

Art. No.		Standard	PP	ESD	ATEX
	MES	Nozzles, hoods and reducers for local extractor ME - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1 - EX; Complies with the ATEX requirements EX II 2 GD			
	MEFS	Suction nozzle <b>MES 300-50</b> Ø50 mm	<b>48</b>	<b>52</b>	
		Flexible suction nozzle L= 600 mm (ESD) <b>MEFS 600-50ES</b> Ø50 mm		<b>187</b>	
	MEPH	Flat screen hood 300 x 200 mm <b>MPH 300</b> excl. hood tube	<b>87</b>	<b>101</b>	<b>132</b>
		<b>MEPH 300-50</b> Ø50 mm	<b>127</b>	<b>177</b>	
	MEM	Metal hood Ø250 mm <b>MM 250</b> excl. hood tube	<b>51</b>	<b>57</b>	<b>71</b>
		<b>MEM 250-50</b> Ø50 mm	<b>92</b>	<b>101</b>	
	MEMB	Metal hood Ø250 mm with working light (LED) <b>MEMB 250-50</b> Ø50 mm	<b>442</b>		
	MK	Dome hood Ø350 mm <b>MK 350</b> excl. hood tube	<b>94</b>	<b>77</b>	<b>154</b>
		<b>MEK 350-50</b> Ø50 mm	<b>135</b>	<b>198</b>	<b>154</b>
	MEK	Polypropylene dome hood and aluminium hood tube <b>MEK 350-50P/A</b> Ø50 mm	<b>117</b>		
	MESH	Square hood 360 x 310 mm <b>MSH 350</b> excl. hood tube	<b>98</b>		
		<b>MESH 350-50</b> Ø50 mm	<b>138</b>		
	MEHR	Hood tube <b>MEHR-50</b> Ø50 mm	<b>41</b>	<b>45</b>	
	MRM	Reducers in PP <b>MRM 100-50</b>	<b>41</b>	<b>52</b>	<b>52</b>
	MESG	Protection grill, to be mounted in joint <b>MESG-50</b>	<b>49</b>	<b>49</b>	<b>49</b>



**Local extractor ME Ø75, 3 joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	PP	ESD	ATEX
Extractor for table mounting					
<b>MEB 1000-75</b>	Ø75 mm	<b>357</b>	381	<b>436</b>	<b>436</b>
<b>MEB 1300-75</b>	Ø75 mm	<b>396</b>	<b>424</b>	<b>483</b>	<b>483</b>
<b>MEB 1500-75</b>	Ø75 mm	424	459	<b>519</b>	<b>519</b>
Extractor for ceiling- or wall mounting, excluding bracket					
<b>MET 1000-75</b>	Ø75 mm	<b>357</b>	<b>381</b>	<b>436</b>	<b>436</b>
<b>MET 1300-75</b>	Ø75 mm	<b>396</b>	<b>424</b>	<b>483</b>	<b>483</b>
<b>MET 1500-75</b>	Ø75 mm	<b>424</b>	<b>459</b>	<b>519</b>	<b>519</b>
<b>MET 2000-75</b>	Ø75 mm	<b>492</b>			
With external gas spring					
Extractor for ceiling- or wall mounting, excluding bracket					
<b>METS 1500-75</b>	Ø75 mm	<b>541</b>	<b>577</b>	<b>635</b>	<b>635</b>
<b>METS 2000-75</b>	Ø75 mm	<b>605</b>	<b>605</b>	<b>711</b>	<b>711</b>



**Brackets for local extractor ME Ø75**

Brackets for local extractor,  
 - Standard; anodised aluminium  
 - ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1  
 - EX; Complies with the ATEX requirements EX II 2 GD



**Outside epoxy painting**

**In & outside epoxy painting**

Art. No.		Standard	ESD	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø50/75 mm						
<b>MTI 250</b>	L = 250 mm	<b>147</b>	<b>169</b>	190	187	208
<b>MTI 500</b>	L = 500 mm	<b>193</b>	<b>219</b>	245	241	266
<b>MTI 750</b>	L = 750 mm	<b>236</b>	<b>270</b>	303	288	314
<b>MTI 1000</b>	L = 1000 mm	<b>279</b>	<b>317</b>	357	339	363
<b>MTI 1250</b>	L = 1250 mm	<b>318</b>	<b>357</b>	400	390	426
<b>MTI 1500</b>	L = 1500 mm	<b>342</b>	<b>386</b>	433	436	
<b>MTI 1750</b>	L = 1750 mm	<b>371</b>	<b>414</b>	472	483	
<b>MTI 2000</b>	L = 2000 mm	<b>403</b>	<b>450</b>	516	534	

Other lengths available upon request

Ceiling bracket, telescopic, for Ø50/75 mm

<b>MTF 1000</b>	L = 1000 mm	<b>279</b>	<b>317</b>	357		
-----------------	-------------	------------	------------	-----	--	--

Wall bracket, for Ø50/75 mm

<b>MVK</b>		<b>101</b>	<b>118</b>	<b>121</b>	147	
------------	--	------------	------------	------------	-----	--

Flexible table bracket

<b>MBF</b>		<b>80</b>	<b>96</b>	<b>96</b>		
------------	--	-----------	-----------	-----------	--	--


Escutcheon plate for ceiling brackets MTI & MTF

made of PP


<b>MCT</b>		<b>30</b>	<b>39</b>	<b>39</b>		
------------	--	-----------	-----------	-----------	--	--

Cap for MTI profile, including screws

<b>MTI TP</b>		<b>27</b>	<b>34</b>	<b>34</b>		
---------------	--	-----------	-----------	-----------	--	--



MTI



MTF



MVK


















MBF



MCT

**Accessories for local extractor ME Ø75**

							
		<b>Art. No.</b>		<b>Standard</b>	<b>PP</b>	<b>ESD</b>	<b>ATEX</b>
	MES	Nozzles, hoods and reducers for local extractor ME					
		- Standard; hood tubes in anodised aluminium					
		- PP; hood tubes and hoods in Polypropylene					
		- ESD; Electrostatic Discharge, Certified according to IEC 61340-5-1					
		- EX; Complies with the ATEX requirements EX II 2 GD					
	MEFS	Suction nozzle					
		<b>MES 300-75</b>	Ø75 mm	<b>51</b>	<b>55</b>	<b>63</b>	<b>63</b>
		Flexible suction nozzle L= 600 mm (ESD)					
		<b>MEFS 600-75ES</b>	Ø75 mm			<b>223</b>	
	MEPH	Flat screen hood 300 x 200 mm					
		<b>MPH 300</b>	excl. hood tube	<b>87</b>	<b>101</b>	<b>132</b>	<b>132</b>
		<b>MEPH 300-75</b>	Ø75 mm	<b>127</b>	<b>145</b>	<b>184</b>	<b>184</b>
	MEM	Metal hood Ø250 mm					
		<b>MM 250</b>	excl. hood tube	<b>51</b>		<b>57</b>	<b>71</b>
		<b>MEM 250-75</b>	Ø75 mm	<b>92</b>	<b>95</b>	<b>108</b>	<b>122</b>
	MEMB	Metal hood Ø250 mm with working light (LED)					
		<b>MEMB 250-75</b>	Ø75 mm	<b>442</b>			
	MK	Dome hood Ø350 mm					
		<b>MK 350</b>	excl. hood tube	<b>94</b>	<b>77</b>	<b>154</b>	<b>154</b>
		<b>MEK 350-75</b>	Ø75 mm	<b>135</b>	<b>120</b>	<b>205</b>	<b>205</b>
	MEK	Polypropylene dome hood and aluminium hood tube					
		<b>MEK 350-75P/A</b>	Ø75 mm	<b>117</b>			
	MESH	Square hood 360 x 310 mm					
		<b>MSH 350</b>	excl. hood tube	<b>98</b>			
		<b>MESH 350-75</b>	Ø75 mm	<b>138</b>			
	MEHR	Hood tube					
		<b>MEHR-75</b>	Ø75 mm	<b>41</b>	<b>45</b>	<b>52</b>	<b>52</b>
	MRM	Reducers in PP					
		<b>MRM 100-75</b>		<b>41</b>		<b>52</b>	<b>52</b>
	MESG	Protection grill, to be mounted in joint					
		<b>MESG-75</b>		<b>57</b>		<b>57</b>	<b>57</b>




**Local extractor ME Ø100, 3-joints**

Local extractor ME, with 3 joints, available for table-, wall- or ceiling mounting

- Standard; Aluminium tubes, joints in Polypropylene
- PP; Tubes and joints in Polypropylene
- EX; Complies with the ATEX requirements EX II 2 GD



Art. No.		Standard	PP	ATEX
Extractor for table mounting				
<b>MEB 1150-100</b>	Ø100 mm	536	573	626
<b>MEB 1350-100</b>	Ø100 mm	581	618	686
<b>MEB 1650-100</b>	Ø100 mm	645	693	762
<b>MEB 1900-100</b>	Ø100 mm	686	735	814
Extractor for ceiling- or wall mounting, excluding bracket				
<b>MET 1150-100</b>	Ø100 mm	<b>536</b>	<b>573</b>	<b>626</b>
<b>MET 1350-100</b>	Ø100 mm	<b>581</b>	<b>618</b>	<b>686</b>
<b>MET 1650-100</b>	Ø100 mm	<b>645</b>	<b>693</b>	<b>762</b>
<b>MET 1900-100</b>	Ø100 mm	<b>686</b>	<b>735</b>	<b>814</b>
<b>MET 2100-100</b>	Ø100 mm	<b>772</b>	<b>829</b>	<b>915</b>
<b>MET 2650-100</b>	Ø100 mm	<b>840</b>	<b>903</b>	<b>998</b>













**Brackets for local extractor ME Ø100**

Brackets for Local extractor Ø100,

- Standard; anodised aluminium
- EX; Complies with the ATEX requirements EX II 2 GD

Art. No.		Standard	ATEX	Outside epoxy painting	In & outside epoxy painting
Ceiling bracket for Ø100 mm					
<b>MTI 500-125</b>	L = 500 mm	<b>430</b>	543	476	502
<b>MTI 750-125</b>	L = 750 mm	<b>449</b>	566	498	525
<b>MTI 1000-125</b>	L = 1000 mm	<b>468</b>	588	525	550
<b>MTI 1250-125</b>	L = 1250 mm	<b>495</b>	618	562	600
<b>MTI 1500-125</b>	L = 1500 mm	<b>543</b>	678	633	
<b>MTI 1750-125</b>	L = 1750 mm	<b>573</b>	716	682	
<b>MTI 2000-125</b>	L = 2000 mm	<b>600</b>	746	728	
Other lengths available upon request					
Ceiling bracket, telescopic, for Ø100 mm					
<b>MTF 1000-125</b>	L = 1000 mm	<b>468</b>	588		
Wall bracket, for Ø100 mm					
<b>MVK-125</b>		<b>175</b>	<b>205</b>	<b>221</b>	
Escutcheon plate, for ceiling brackets MTI-125 & MTF-125, made of PP					
<b>MCT-125</b>		<b>40</b>	<b>47</b>		
Cap for MTI-125 profile, including screws					
<b>MTI TP-125</b>		<b>36</b>	<b>44</b>		



<b>Accessories for local extractor ME Ø100</b>				
		<b>Standard</b>	 <b>PP</b>	 <b>ATEX</b>
	<b>MES</b>	Hoods for local extractor ME, - Standard; hood tubes in anodised aluminium - PP; hood tubes and hoods in Polypropylene - EX; Complies with the ATEX requirements EX II 2 GD		
	<b>MEPH</b>	<b>Art. No.</b> Suction nozzle <b>MES 300-100</b>	<b>130</b>	
	<b>MEM</b>	Flat screen hood 375x250 mm		
		<b>MPH 375</b> excl. hood tube	<b>107</b>	<b>134</b>
		<b>MEPH 375-100</b> Ø100 mm	<b>157</b>	<b>187</b>
	<b>MEMB</b>	Metal hood Ø250 mm		
		<b>MM 251</b> excl. hood tube	<b>59</b>	<b>77</b>
		<b>MEM 251-100</b> Ø100 mm	<b>109</b>	<b>135</b>
	<b>MEK</b>	Metal hood Ø250 mm with working light (LED)		
		<b>MEMB 251-100</b> Ø100 mm	<b>472</b>	
		Dome hood Ø350 mm alt Ø500 mm		
		<b>MK 351</b> excl. hood tube	<b>100</b>	<b>81</b>
		<b>MEK 351-100</b> Ø100 mm	<b>150</b>	<b>135</b>
		<b>MK 500</b> excl. hood tube	<b>134</b>	<b>156</b>
		<b>MEK 500-100</b> Ø100 mm	<b>184</b>	<b>210</b>
		Polypropylene doom hood and aluminium hood tube		
		<b>MEK 351-100P/A</b> Ø100 mm	<b>131</b>	
	<b>MESH</b>	Square hood 570 x 470 mm		
		<b>MSH 500</b> excl. hood tube	<b>134</b>	
		<b>MESH 500-100</b> Ø100 mm	<b>184</b>	
	<b>MEHR</b>	Hood tube		
		<b>MEHR-100</b> Ø100 mm	<b>51</b>	<b>54</b>
	<b>MESG</b>	Protection grill, to be mounted in Ø100 joint		
		<b>MESG-100</b>	<b>63</b>	<b>63</b>